

JBL Confidential Full Line Price List

JBL Professional					
Fiscal 2010 Pricing					
Effective August 1st - These Prices Supersede Any Others Previously Issued And Are Subject To Change Without Notice.					
Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
PRX(JBL006)					
PRX500 Loudspeakers					
PRX512Mi *NEW*	12" two-way stage monitor or front of house self-powered speaker system with integrated suspension points; 400 watt LF and 100 watt HF Crown® class D amplifier, DSP –fully featured input section with selectable EQ, 12" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver, DuraFlex™ covered plywood enclosure, eight M10 suspension points and one M10 pull-back point, foam backed steel grille, dual pole mount sockets, non-skid rubber feet. Very light weight, only 40 lbs!	49.00	5.89	MX	1275.00
PRX718S *NEW*	High performance portable 18" subwoofer system ; 700 watts Crown® class D amplifier, Dual-Bridge Technology™, 18" 2268FF dual voice coil Differential Drive®, DSP fully featured input section with selectable x-over, polarity reverse and loop-through capability, DuraFlex™ covered plywood enclosure, foam backed steel grille, pole mount cup, non-skid rubber feet. Light weight, only 76 lbs!	90.00	12.44	MX	1949.00
PRX512M	12" two-way stage monitor or front of house self-powered speaker system ; 400 watt LF and 100 watt HF Crown® class D amplifier. DSP-featured input section with selectable EQ. 12" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver, DuraFlex™-covered plywood enclosure, foam backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. Light weight, only 40 lbs!	49.00	5.89	MX	1199.00
PRX515	15" two-way self powered speaker system ; 400 watt LF and 100 watt HF Crown® class D amplifier. DSP-featured input section with selectable EQ. 15" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, 36 mm pole socket, non-skid rubber feet. Light weight, only 57 lbs!	69.00	10.17	MX	1349.00
PRX518S	Compact 18" portable subwoofer system , 500 watt Crown® class D amplifier. DSP featured input section with selectable x-over. 18" VGC™ Vented Gap Cooled woofer in a DuraFlex™-covered, 18mm plywood enclosure, foam backed steel grille, die-cast metal handles and 36 mm pole mount cup, non-skid rubber feet.	90.00	12.60	MX	1499.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
PRX525	Dual 15" two-way self-powered speaker system ; 2 x 275 watt LF and 100 watt HF Crown® class D amplifiers. DSP-featured input section with selectable EQ. Two 15" Differential Drive® woofers and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, non-skid rubber feet. Light weight, only 84 lbs!	99.00	16.19	MX	1649.00
PRX535	15" three-way self-powered speaker system ; 400 watt LF, 150 watt MF and 100 watt HF Crown® class D amplifiers. DSP-featured input section with selectable EQ. 15" Differential Drive® woofers, 6.5" horn loaded mid range and a 1" neodymium compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, non-skid rubber feet. Light weight, only 74 lbs!	87.00	13.67	MX	1499.00
Accessories					
SS2-BK	Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX	8.00	0.91	CN	205.00
SS3-BK	35mm Diameter, 41" (1041.4 mm) Speaker Pole for JRX, MRX and PRX Sub/Satellite configurations	4.50	1.70	GERMANY	59.00
VRX(JBL009)					
VRX900 Loudspeakers					
VRX915M	15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression driver, 50 x 90 waveguide; passive or bi-amplified operation; compact 30° symmetrical wedge enclosure; Black DuraFlex™ finish; heavy duty 16 gauge foam backed steel grille.	55.00	5.58	MX	1959.00
VRX915S	15" compact, flying subwoofer ; 2265G-1 Differential Drive® 800 W AES LF; integral flying hardware compatible with VRX928LA and accessories; top-mounted M20 threaded pole socket. Black DuraFlex™ finish.	62.00	7.49	MX	1459.00
VRX915S-WH	Same as above but in white	62.00	7.49	MX	1459.00
VRX918S	18" compact, flying subwoofer ; 2268H Differential Drive® LF; integral flying hardware compatible with VRX932LA-1 and accessories; handles and pole mount deleted. White DuraFlex™ finish.	92.00	10.67	MX	1599.00
VRX918S-WH	18" Compact, Flying Subwoofer ; 2268H Differential Drive® LF; Integral Flying Hardware Compatible with VRX932LA and Accessories; Designed for Fixed Installations with JBL's White Duraflex™; No Pole Mount or Handles Included.	92.00	10.67	MX	1599.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VRX928LA	8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W LF; 2 x 2414H 1 inch compression driver HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	32.00	1.73	MX	1699.00
VRX928LA-WH	8" Two-Way Line-Array System with 1 x 2168H-1 Differential Drive® 400W LF; 2 x 2414H 1 inch Compression Driver HF on Constant Curvature Waveguide; Dual Angle Pole Socket and Integral Rigging Hardware; Passive or Bi-Amplified Operation. White DuraFlex™ Finish.	30.00	2.00	MX	1699.00
VRX932LA-1	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	56.18	5.15	MX	2659.00
VRX932LA-1-WH	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; integral rigging hardware; passive or bi-amplified operation; handles and pole mount deleted. White DuraFlex™ finish.	56.18	5.15	MX	2659.00
VRX Powered Loudspeakers					
VRX932LAP	Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant Curvature waveguide; Crown DPC-2 amplifier module with system DSP; dual angle pole socket and integral rigging hardware; black DuraFlex™ finish.	64.55	5.96	MX	3329.00
VRX918SP	Powered 18" flying subwoofer , 2268H Differential Drive® LF, Crown DPC-2 amplifier module with system DSP; integral rigging hardware compatible with VRX932LAP; top mounted M20 threaded pole socket; black DuraFlex™ finish	97.00	12.00	MX	2299.00
Accessories					
VRX-SMAF	Small Array Frame for suspending VRX928LA and VRX915S arrays. Includes 2 x quick release pins, 2 x shackles, 2 x drop levers..	7.00	0.60	US	599.00
VRX-AF	Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. Includes 4 x Quick Release Pins, 2 x Shackles, 2 x Drop Levers	13.00	0.44	US	999.00
SS4-BK	Adjustable Pole (35.5" - 57"; 900 mm – 1450 mm) for use with SRX718S/VRX918S/VRX918SP/VRX915S Subwoofer. M20 Threads on Bottom, 35mm Pole on Top	7.00	0.19	GERMANY	129.00
WK-4S	Wheel Kit for SRX718S/VRX918S/VRX918S. 4 x Swivel Casters	7.00	0.39	US	85.00
EON (JBL010)					
EON Powered Loudspeakers					

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
EON305	15" two-way passive portable speaker system , 15" low-frequency transducer, 1" (exit) neodymium compression driver, SonicGuard™ over-power protection, 250 watt continuous power handling, 5 x M10 threaded inserts for suspension, multiple handles for ease-of-transport, tough polypropylene impact copolymer enclosure, main or monitor application, full protective steel grille with acoustically transparent screen backing, ONLY 15 kg (33 lbs).	37.00	6.97	CN	479.00
EON315	280 Watt 15" portable powered speaker system , bi-amplified, 220 watt low frequency, 60 watt high frequency, 15" low-frequency transducer, 1" (exit) neodymium compression driver, user selectable system EQ, loop daisy chain function, 5 x M10 threaded inserts for suspension, multiple handles for ease-of-transport, tough polypropylene impact copolymer enclosure, main or monitor application, full protective steel grille with acoustically transparent screen backing, ONLY 15.9 kg (35 lbs).	50.00	17.30	CN	629.00
EON510	Ultra compact 280 Watt Powered 10" portable speaker system , bi-amplified, 220 watt low-frequency, 60 watt high-frequency, 10" Differential Drive® woofer with neodymium magnet, 1" (exit) neodymium compression driver, built-in 3 channel mixer with user selectable system EQ. 4 x M10 threaded inserts for suspension, mix/loop daisy chain function, illuminated logo, tough polypropylene impact copolymer enclosure, main or monitor application, full protective steel grille with acoustically transparent screen backing, ONLY 7.7 kg (17 lbs).	21.00	2.50	CN	749.00
EON515	High performance 450 Watt Powered 15" portable speaker system , Crown Class-D amplifier technology, 350 watt low-frequency, 100 watt high-frequency, 15" Differential Drive transducer with neodymium magnet, 1" (exit) neodymium compression driver, built-in 3 channel mixer with user selectable system EQ, mix/loop daisy chain function, 5 x M10 threaded inserts for suspension, multiple handles for ease-of-transport, illuminated logo, tough polypropylene impact copolymer enclosure, main or monitor application, full protective steel grille with acoustically transparent screen backing, ONLY 14.8 kg (32.5 lbs).	41.50	6.97	CN	999.00
EON518S	Compact and lightweight 500 Watt Powered 18" portable subwoofer , 18" Differential Drive transducer, stereo, line level, crossover with selectable high-pass outputs, speaker level input, 18mm plywood construction with polypropylene impact copolymer protective bezel, acoustically transparent screen back steel grille, 36 mm pole mount socket, rubber over-molded handles, protective steel grille with acoustically transparent screen backing, ONLY 29.5 kg (65 lbs).	79.18	9.52	MX	1129.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
EON Passive Loudspeakers					
EON305	15" Two-Way Portable Speaker System , 15" Low-Frequency Transducer, 1" (exit) Compression Driver, Sonic Guard™ Over-Power Protection, 225 watt, Black.	37.00	6.97	CN	529.00
EON Accessories					
EON BRK1	Mounting Bracket for EON 15" Speakers - Fixed Angle	1.00	0.41	US	59.00
EON BRK2	Mounting Bracket for EON 10" Speakers - Fixed Angle	4.00	0.20	US	49.00
EON BRK10	Mounting bracket for EON 10" Speakers - adapts to fit Omnimount® Series 60 brackets and others with compatible hole patterns.	1.00	0.41	US	65.00
EON BRK15	Mounting bracket for EON 15" Speakers - adapts to fit Omnimount® Series 120 brackets and others with compatible hole patterns.	4.00	0.20	US	75.00
ESK10-1	Suspension Kit for EON 10 Speakers	1.46	0.04	US	45.00
ESK15-1	Suspension Kit for EON 15 Speakers (Not for use with EON 1500).	5.50	0.30	US	55.00
EON10 Bag-1	Zippered, Plush-Lined Cordura® Bag , Fits All EON 10" Speakers. DISCONTINUED. FINAL INVENTORY AVAILABLE	2.08	0.25	CN	59.00
EON15 Bag-1	Zippered, Plush-Lined Cordura® Bag , Fits All EON 15" Speakers. DISCONTINUED. FINAL INVENTORY AVAILABLE	3.44	0.47	CN	69.00
SS2-BK	Tripod Stand for EON, JRX, MRX, PRX, SRX and VRX	8.00	0.91	CN	205.00
JRX SERIES LOUDSPEAKERS (JBL012)					
JRX100 Series					
JRX112M	12" two-way portable stage monitor or front of house speaker system includes a 12" woofer; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, stage monitor enclosure; 3/4" MDF construction; 18-gauge steel grill; 36 mm dual-angle pole mount socket; steel handles; Neutrik® Speakon® and 1/4" input..	51.25	3.64	MX	389.00
JRX115	15" two-way portable speaker system includes a 15" woofer; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; 36 mm dual-angle pole mount socket; steel handles; Neutrik® Speakon® and 1/4" input.	67.00	6.24	MX	399.00
JRX118S	18" portable subwoofer system with cast frame, 3" voice-coil woofer; 1/4" phone and dual Neutrik® Speakon® inputs; carpet-covered enclosure; 3/4" MDF construction; 18-gauge steel grille; 36 mm pole mount socket, and steel handles.	147.00	16.63	MX	619.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
JRX118SP	Powered 18" portable subwoofer system includes a built-in amplifier with 500 watt (peak) and 300 watt (continuous) power; stereo, line-level, crossover with high-passed outputs; carpet-covered enclosure; 3/4" MDF construction; 18 gauge steel grille; 36 mm pole mount socket, and steel handles.	93.00	8.07	MX	999.00
JRX125	Dual 15" two-way portable speaker system includes two 15" woofers; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; steel handles; Neutrik® Speakon® and 1/4" input.	103.00	9.39	MX	589.00
JRX100 INSTALL					
JRX112MI	12", two-way stage monitor or front of house speaker system designed for installation applications. Includes a 12" woofer with an edgewound voice coil; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, stage monitor enclosure; 3/4" MDF construction; 18-gauge steel grill; 3x M10 threaded suspension points; 3x 10 mm forged shoulder eyebolts with washers; Neutrik® Speakon® and 1/4" input.	41.00	3.50	MX	449.00
JRX115I	15", two-way speaker system designed for installation applications. Includes a 15" woofer with an edgewound voice coil; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; 3x M10 threaded suspension points; 3x 10 mm forged shoulder eyebolts with washers; Neutrik® Speakon® and 1/4" input.	67.00	6.04	MX	459.00
CONTROL CONTRACTOR (JBL018)					
CBT Series					
Line Array Columns Featuring JBL's Patent-Pending Constant Beamwidth Technology™					
CBT 50LA *NEW*	50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology , 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included.			CN	465.00
CBT 50LA-WH *NEW*	Same as above, but in white			CN	465.00
CBT 100LA *NEW*	100 cm Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology , switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W cont pink (1400W peak), wall bracket included. <i>(priced and sold individually)</i>			CN	865.00
CBT 100LA-WH *NEW*	Same as above, but in white			CN	865.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
CBT 70J *NEW*	70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. <i>(priced and sold</i>			CN	1200.00
CBT 70J-WH *NEW*	Same as above, but in white			CN	1200.00
CBT 70JE *NEW*	70 cm Extension for CBT 70J Line Array, 4 x 5" Drivers. 500W cont pink (2000W peak), 8 ohms, linking bracket included. <i>(priced and sold individually. Combined with CBT 70J, system response is 45 Hz – 20 kHz with pattern control to 400 Hz.</i>			CN	700.00
CBT 70JE-WH *NEW*	Same as above, but in white			CN	700.00
CONTROL CONTRACTOR 50 Series					
CONTROL 50S/T *NEW*	Compact Surface-Mount Subwoofer. 200 mm (8") long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, built-in crossover network, drives 2 or 4 satellite speakers, wall-mount bracket included, black or white.	4.49	0.01	CN	375.00
CONTROL 50S/T-WH *NEW*	Same as above, but in white	4.49	0.01	CN	375.00
CONTROL 52 *NEW*	Satellite Speaker. 60 mm (2.5 in) low-distortion driver, for use with Control 50S/T or 40CS/T subwoofer, 16 ohms, wall-mount bracket included, black or white. <i>(priced as each, sold in pairs)</i>	0.73	3.98	CN	67.00
CONTROL 52-WH *NEW*	Same as above, but in white	0.73	3.98	CN	67.00
C50PACK *NEW*	Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black or white. <i>(each pack contains 1</i>	6.06	0.01	CN	610.00
C50PACK-WH *NEW*	Same as above, but in white	6.06	0.01	CN	610.00
CONTROL @ CRV					
High-Design Loudspeaker with 70V/100V Transformer & Weather Resistance					
CONTROLCRV *NEW*	Unique contemporary curved design, selectable 70V/100V or 4 ohm, indoor/outdoor capable, dual 100 mm (4") woofers, combinable into half-round or full 360° round arc clusters, 80 Hz – 20 kHz, 75W cont pink (300W peak), wall-mount bracket included			CN	249.00
CONTROLCRV-WH *NEW*	Same as above, but in white			CN	249.00
PMB-BK *NEW*	Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round arc cluster, for attachment via fan pole. <i>(priced and</i>			CN	50.00
PMB-BK-WH *NEW*	Same as above, but in white			CN	249.00
Control 8100Series Ceiling Speakers					
8124	4" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), high 93 dB sens, 60 Hz to 18 kHz, for non-plenum applications, 1.2 kg (2.5 lb). <i>(Priced as each, sold in</i>	3.25	0.35	CN	34.00
8128	8" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), very high 97 dB sens, 50 Hz to 16 kHz, for non-plenum applications, 1.4 kg (3.0 lb). <i>(Priced as each,</i>	4.25	0.61	CN	45.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
8138	8" Ceiling Speaker for Pre-Install Backcan , stylish look, for use with MTC-81BB8 backcan and MTC-81TB8 tile bridge, or standard backcans. Very high 97 dB sens, 95 Hz – 18 kHz, 6W multiple tap transformer, 90° coverage. <i>(priced as each, sold in packs of 4</i>	4.25	0.61	CN	47.50
MTC-81BB8	Pre-Install Backcan , large 7.4 liter volume, 7" H x 11¼" dia, 11¼" mounting circle, 16 gauge steel, e-coated finish. <i>(priced as each,</i>	1.25	0.01	CN	32.50
MTC-81TB8	Tile Bridge , 19 gauge steel with e-coated finish. <i>(priced as each, sold in packs of 4 pcs)</i>	0.25		CN	17.00
MTC-8124C	C-ring for 8124 , for installations requiring C-ring to spread ceiling loading. Integral clips for optional MTC-Rail tile rails. <i>(Priced as each, sold in packages of 4 pcs [for 4 speakers])</i>	37.59	2.40	CN	13.00
MTC-8128C	C-ring for 8128 (Priced as each, sold in packages of 4 pcs (for 4 speakers))	50.70		CN	15.50
MTC-RAIL	Tile Rails for C42C-PL, <i>(also fits 8124 & 8128, along with their accessory C-rings).</i> <i>(Priced as each, each pack contains 4 pcs [for</i>	3.18		CN	9.75
Control Contractor 40 Series Premium Ceiling Speakers					
CONTROL 40CS/T *NEW*	Direct-Radiating In-Ceiling Subwoofer with long-throw 8" driver, 30 Hz – 300 Hz, 200W program 100W pink noise, 70V/100V taps at 80W, 40W 20W (and 10W @ 70V) plus 8Ω bypass. Built-in crossover network with outputs for 2 or 4 Control 42C satellite	8.55	1.12	CN	370.00
CONTROL 42C *NEW*	Ultra-Compact Satellite Speaker for use with Control 40CS/T subwoofer. 140 Hz to 20 kHz, 82 dB sens, 30W program and 15W pink noise, 16Ω only, 160° coverage. Requires C40CS/T or external high-pass filter. C-ring included. Tile rails optional.	8.55	1.12	CN	80.00
CONTROL 47HC *NEW*	High-Ceiling, Narrow-Coverage Version featuring RBI™ technology. Specs same as Control 47C/T except: Well-defined 75° coverage, 55 Hz to 20 kHz, and 93 dB sensitivity. 3 top clip points for suspension. <i>(priced as each, sold in pairs)</i>	6.85	1.12	CN	320.00
CONTROL 47LP *NEW*	Low-Profile Version featuring RBI™ technology. Specs same as C47C/T-PL, except only 142 mm (5.6 in) deep, 68 Hz to 20 kHz. <i>(priced as each, sold in pairs)</i>	4.75	1.12	CN	228.00
CONTROL 47C/T *NEW*	Wide-Coverage, Extended Bass Ceiling Speaker featuring RBI™ (Radiation Boundary Integrator®) Technology , 6.5" two-way, 120° consistent coverage, 55 Hz to 20 kHz, 91 dB sens, 150W program and 75W pink noise, 70V/100V taps at 60W, 30W, 15W (and 7.5W @ 70V) plus 8Ω bypass. 3 top clip points for	5.45	1.12	CN	265.00
ACCESSORIES					
MTC-RAIL *NEW*	Tile Rails for C42C-PL, <i>(also fits 8124 & 8128, along with their accessory C-rings).</i> <i>(Priced as each, each pack contains 4 pcs [for</i>	3.18		CN	9.75
MTC-47NC *NEW*	New Construction Ring Brackets for Control 47C/T and Control 47LP <i>(priced as a pack, each pack contains 6 pcs) (Note that C47HC-PL and C40CS/T-PL utilize MTC-19NC)</i>	5.02	1.00	CN	153.50
MTC-47MR *NEW*	Mud Ring Construction Brackets for C47C/T-PL and C47LP-PL <i>(priced as a pack, each pack contains 6 pcs) [Note that C47HC-PL and C40CS/T-PL utilize MTC-19MR]</i>	7.28	1.00	CN	215.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
MTC-42NC *NEW*	New Construction Ring Brackets for C42C-PL (priced as a pack, each pack contains 6 pcs)	4.68	1.00	CN	96.00
MTC-42MR *NEW*	Mud Ring Construction Brackets for C42C-PL (priced as a pack, each pack contains 6 pcs)	5.66		CN	131.50
Control 200 Series Medium-Format Ceiling Speakers					
CONTROL 226C/T	6.5" Coax Ceiling Loudspeaker. True-Broadband 120° Coverage. 150 Watts, 47 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms Plus 70V/100V Taps at 60W, 30W, 15W (And 7.5W @ 70V). 13" Round Ported	24.91	2.11	CN	350.00
CONTROL 227C	6.5" Coax Ceiling Loudspeaker with Compression Driver. Broadband 120° Coverage. 150 Watts, 43 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms. 12" Round Ported Baffle x 5.8" Deep. (Priced and	12.24	1.35	CN	279.00
CONTROL 227CT	Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68 W, 34W and 17W (plus 8.5W at 70V only). 12" Round Baffle x 5.8" Deep. (Priced and Sold as Each).	14.68	1.35	CN	318.00
Control 200 Accessories					
MTC-SG6/8	Contemporary Square Grille for Control 200 & 300 Series 6.5" Medium-Format and 8" Large-format Coaxial Ceiling Loudspeakers. Fashionable, upscale look, white finish over zinc-plated metal. Fits Control 227C, 227CT, 328C and 328CT.	1.37	0.01	CN	47.00
MTC-200BB6	Back Can for Control 227C&CT Models. Round with Extra-Thick 16-Gauge Steel and Heavy Duty ½" MDF Reinforcement on Top Panel. Knockouts on Sides and Top Panel. 0.5 Cubic Foot. 13.3" Dia x 8.1" Deep. (Priced and Sold as Each). UL LISTED	50.93	11.35	CN	64.00
MTC-RG6/8	*Previously MTC-300RG8*. Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models". Fashionable Upscale Look, White, Metal, 13.6" Dia x 0.64" Deep. NOW UL	1.50	0.13	CN	27.00
MTC-TB6/8	Tile Bridge for Medium (C227C & C227CT) and Large (C328 & C328CT) Format Ceiling Speakers. 18-Gauge steel. 25.4" x 16.3" x 1" Deep. (Price as Each, Sold 6 pcs Per Box)	7.50	1.03	CN	23.00
Control 300 Series Large-Format Ceiling Speakers					
CONTROL 321C	Premium 12" Coax Ceiling Loudspeaker. True-Broadband 90° Coverage. 250 Watts, 34 Hz to 18 kHz Frequency Response, 94 dB Sensitivity. 2412H Compression Driver. 14.4" Square Ported Baffle x 8.8" Deep. EZ-Rail™ For Ease of Installation. UL	27.00	2.34	CN	429.00
CONTROL 321CT	Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W and 17W (Plus 8.5W at 70V Only). 14.4" Square Ported Baffle x 9.5 Deep. EZ-Rail for Ease of	27.00	2.43	CN	472.00
CONTROL 322C	High-Power 12" Coax Ceiling Loudspeaker with Medium Format Compression Driver. True Broadband 90° Coverage. 400 Watts, 32 Hz to 20 kHz Frequency Response, 95 dB Sensitivity. 2407H Compression Driver. 14.4" Square Ported	25.00	2.34	CN	624.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
CONTROL 322CT	Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap Transformer. Taps at 100W, 50W & 25W (Plus 12.5W at 70V Only). 14.4" Square Ported Baffle x 9.5" Deep. EZ-Rail for Ease	27.00	2.43	CN	678.00
CONTROL 328C	8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120° Coverage. 250 Watts, 45 Hz to 18 kHz Frequency Response, 93 dB Sensitivity. 2412H Compression driver. 12" Round Ported Baffle/Waveguide x 6.3" Deep. UL LISTED	14.07	1.50	CN	348.00
CONTROL 328CT	Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W & 17W (Plus 8.5W at 70V Only). 12" Round Ported Baffle with Waveguide. Depth 8.6". UL	11.50	1.25	CN	391.00
CONTROL 312CS	12" In-Ceiling Subwoofer. 400 Watts, 30 Hz – 4.5 kHz Frequency Response, 93 dB Sensitivity. 14.4" Square Ported Baffle x 6.3" Deep. EZ-Rail for Ease of Installation. UL LISTED	23.00	0.90	CN	532.00
Control 300 Accessories					
MTC-300BB8	One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top Panel. Knockouts on Sides and Top Panel. Fits Control 328C & 328CT. 15" Dia x 10.6" Deep. NOW UL LISTED	15.00	2.43	CN	80.00
MTC-300BB12	Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top and Side Panels. Fits Control 321C, 321CT, 322C, 322CT & 321CS. 23.1" x 18.2" (20" Incl. Side Tabs) x 12.8" Deep. NOW UL LISTED	50.00	5.60	CN	233.00
MTC-RG6/8	*Previously MTC-300RG8* . Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models". Fashionable Upscale Look, White, Metal, 13.6" Dia x 0.64" Deep. NOW UL LISTED	1.50	0.13	CN	27.00
MTC-300SG12	Contemporary Square Grille for 12" Models. Fashionable Upscale Look, White, Metal, 16.3" x 16.3" x 0.4" Deep. NOW UL LISTED	3.00	0.16	CN	37.00
MTC-300T150	150 Watt Transformer for Higher Output from a 70V or 100V System. Use with Non-T Version Loudspeakers. Mounts to Tabs Inside MTC-300BB12 Back Box (Does not Mount on Driver Assembly). 3.1" H x 3.4" W x 3.4" Deep. NOW UL LISTED	3.37	0.02	CN	78.00
Control Contractor In-Wall Speakers					
CONTROL 126W	Premium In-Wall Two-Way Loudspeaker with 6-1/2" (165 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 98 mm (3-7/8 in) Depth (For Wallboard Plus Stud). 88 dB Sensitivity, 100 Watts (50W RMS/200W Peak), 38 Hz to 20 kHz Frequency	5.67	0.42	CN	190.00
CONTROL 126WT	Control 126W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 30W, 15W, and 7.5W (Plus 3.7W at 70V Only). (Priced as Each, Sold in Pairs).	5.53	0.03	CN	210.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
CONTROL 128W	Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 102 mm (4 in) Depth (For Wallboard Plus Stud). 90 dB Sensitivity, 60 Watts RMS (120W Program/240W Peak), 30 Hz to 20 kHz	7.50	0.63	CN	234.00
CONTROL 128WT	Control 128W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 50W, 25W, and 12W (Plus 6W at 70V Only). (Priced as Each, Sold in Pairs).	15.00	1.30	CN	258.00
Control Contractor Ceiling LoudSpeakers					
CONTROL 24C	4" Two-Way Vented Ceiling Speaker , 80Hz – 20kHz, 86dB Sensitivity, 80W Program and 40W Pink Noise Power Capacity, SonicGuard™ Overload Protection, 16 ohms, 130° Coverage, Packaged with Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8	8.88	0.86	CN	128.00
CONTROL 24CT	Control 24C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 30W, 15W and 7.5W (Plus 3.7W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	9.30	0.86	CN	139.00
C24CT-BK	Control 24CT in Black. 4" two-way vented ceiling speaker, 80 Hz – 20 kHz, 86 dB sensitivity, 80W program and 40W pink noise power, for use on a 70.7V or 100V distributed line, switchable taps at 30W, 15W and 7.5W (plus 37W at 70.7V only, 130° coverage, packaged with backcan, grille, support plate and tile rails. (priced	9.31	0.89	CN	139.00
CONTROL 24C MICRO	4" Two-Way Ceiling Speaker , 15W Pink Noise, 30W Program Power Capacity. 8 ohms, Shallow 4" Back Depth. For Applications with Low Ceilings. Features Extremely Wide 150° coverage. Packaged with Backcan, Grille, Support Bracket and Tile Rails. Priced as Each, Packed as Pairs. Master Pack	6.60	0.79	CN	83.00
CONTROL 24CT MICRO	Control 24C Micro with Transformer. For use on a 70.7V or 100V Distributed Line. Taps are 8W, 4W and 2W, 1W (and 1/2W at 70.7V only). Priced as Each, Packed as Pairs. Master Pack	7.10	0.79	CN	88.00
C24CT MICROPLUS	Medium Output Ceiling Speaker Assembly. Complete Assembly Includes Backcan, Grille and Tile Rails. Very Wide 150° Coverage. Shallow 100 mm (4 in) Depth. 70V/100V Input Transformers with Taps at 25W and 12W (Plus 6W at 70V Only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8	8.70	0.67	CN	126.00
CONTROL 26C	6.5" Two-Way Vented Ceiling Speaker , 75Hz – 20kHz, 89dB Sensitivity, 150W Program and 75W Pink Noise Power Capacity, SonicGuard Overload Protection, 16 Ohms, 100° Coverage, Packaged With Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 4	11.25	1.22	CN	166.00
CONTROL 26CT	Control 26C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	12.00	1.22	CN	187.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
CONTROL 26-DT	200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover Network and 70V/100V Transformer Assembly. Fits Standard Backcans for 8 Inch Speakers. Backcan must have 5+ inches depth. Coverage of 90°. Taps at 60W, 30W and 15W (Plus 7.5W at 70V Only). 1.9 kg (4.2 lb). Priced as Each, Packed	5.95	0.50	CN	120.00
CONTROL 19CS	8" In-Ceiling Subwoofer , Nested Chamber™ Design, Linear Aperture™ Port, 42Hz – 200Hz, 200W Program and 100W Pink Noise Power Capacity, SonicGuard Overload Protection, 8 ohms, Packaged with Backcan, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	26.00	2.49	CN	251.00
CONTROL 19CST	Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	26.00	2.52	CN	272.00
Control Contractor Ceiling LoudSpeakers					
CONTROL 23	3.5" Two-Way Vented System, Invisibal® Installation System, 50W Program Power, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	4.00	0.24	CN	126.00
CONTROL 23-WH	Same as CONTROL 23, but in White.	4.00	0.24	CN	126.00
CONTROL 23T	Control 23 with Transformer. For use on 70.7V and 100V Distributed Lines, Single Power Tap, 5W at 70V, 10W at 100V. Black, priced as Each, Packed as Pairs. Master Pack Quantity: 6	4.00	0.24	CN	138.00
CONTROL 23T-WH	Same as CONTROL 23T, but in White.	4.00	0.24	CN	138.00
CONTROL 25	5.25" Two-Way Vented System, Built-In Invisibal® Installation System, 150W Program Power, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 6	8.00	0.43	CN	165.00
CONTROL 25-WH	Same as CONTROL 25, but in White.	8.00	0.43	CN	165.00
CONTROL 25AV	Shielded Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, Built-In Invisibal® Installation System. Includes MTC-PC Sealed-Entrance Panel Cover. Priced as Each, Packed as Pairs. Master	11.16	0.50	CN	215.00
CONTROL 25AV-WH	Same as CONTROL 25AV, but in White.	11.16	0.50	CN	215.00
CONTROL 25T	Control 25 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 30W , 15W and 7.5W (Plus 3.7W at 70.7V only). Black, Priced as Each, Packed as Pairs.	8.00	0.43	CN	186.00
CONTROL 25T-WH	Same as CONTROL 25T, but in White.	8.00	0.43	CN	186.00
CONTROL 28	8" Two-Way Vented System, Built-In Invisibal® Installation System, 175W Power Program, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	15.50	1.82	CN	289.00
CONTROL 28-WH	Same as CONTROL 28, but in White.	15.50	1.82	CN	289.00
CONTROL 28T-60	Control 28 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 60W , 30W and 15W (Plus 7.5W at 70.7V Only). Black, Priced as Each, Packed as Pairs.	16.25	1.30	CN	302.00
CONTROL 28T-60-WH	Same as CONTROL 28T-60, but in White.	16.25	1.30	CN	302.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
C29AV-1	High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x 80° Coverage with Rotatable Horn. Built-In InvisiBall® Installation System, plus Ten M6 Suspension Points. Kevlar Cone Woofer and Titanium Compression Driver. Includes	31.00	2.75	CN	467.00
C29AV-WH-1	Same as C29AV-1, but in White.	31.00	2.75	CN	467.00
CONTROL 30	High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz – 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 4 ohm	52.40	5.74	CN	817.00
CONTROL 30-WH	Same as CONTROL 30, but in White.	52.40	5.74	CN	817.00
ACCESSORY GRILLES					
MTC-30MK-WH	Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging corrosive environments such as cruise ships, sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws and protection caps for	0.50		CN	137.00
Life-Safety Surface-Mount Loudspeaker					
C25AV-LS *NEW*	Sealed Version of Control 25AV with UL Life Safety Listing Premium 5.25" Two-Way sealed speaker, highly weather resistant, aluminum grille, 110° x 85° coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (and 7.5W at 70V), plus 8 ohm thru. See spec sheet for specific details of UL listing -- check with local authorities about requirements in your area. Includes MTC-PC sealed-entrance panel cover. Black or white (-WH). (priced	3.63	1.12	CN	232.00
C25AV-LS-WH *NEW*	Same as above, but in White	3.63	1.12	CN	232.00
Control Contractor Surface Mount Subwoofers					
CONTROL SB-210	Compact, Low Profile, High Power Subwoofer with 2 x 260mm (10 In) Aluminum/Ceramic Composite Cone Drivers. 400 W Power Handling, Fully Outdoor Capable (IP-x5), Sonicguard™ Overload Protection, 13 M6 Suspension Points, Optional U-bracket. 42 Hz-200 Hz Frequency Range, 355 x 590 x 570 mm,	64.40	9.40	CN	679.00
CONTROL SB-210-WH	Same as Control SB-210, but in White.	64.40	9.40	CN	679.00
MTC-SB210-SAT	Adds Passive Crossover Network with High-Passed Output for Satellite Speakers and Internal Low-Pass. Stereo or Mono Configurable. Switch Allows for Either 4 ohm or 8 ohm Satellite	14.60	1.30	CN	139.00
MTC-210T	Adds Subwoofer-Band 70V/100V Transformers for Operation on a Distributed Speaker Line. Maintains Stereo/Mono Configurability. Taps at 125W+125W, 62+62W, 31W+31W (And 15W+15W for	17.50	1.30	CN	155.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
MTC-210T-SAT	Provides BOTH Passive Crossover Network (Like MTC-210-SAT, with 4-ohm/8-ohm Satellite Load Selectability) AND Transformers for 70V/100V Distributed Speaker Lines (like MTC-210T, with Taps at 125W+125W, 62+62W, 31W+31W [and	38.80	1.30	CN	219.00
CONTROL SB-2	Slot-Loaded Vented Bandpass Subwoofer with Dual Voice-Coil 10" Transducer, Trapezoidal Enclosure for easy Corner Placement, 38Hz – 160Hz, 340W Program, 100dB Sensitivity, 8 ohm Stereo Inputs with High-Pass Satellite Outputs.	46.00	3.77	MX	372.00
In-Wall Speakers Accessories					
MTC-126RIF	Rough-In Frame for Installing Control 126W to Studs in New Construction. Sold in Pairs, Priced as Each.	0.75	0.16	CN	26.00
MTC-128RIF	Rough-In Frame for Installing Control 128W to Studs in New Construction. Sold in Pairs, Priced as Each.	1.75	0.25	CN	26.00
Surface-Mount Arraving Brackets					
MTC-25/23H	Horizontal-Array Bracket for Two Control 23s or Control 25s, 60° Splay, Three Brackets Connect to Form Suspendable Assembly for Three or Six Speakers, Providing 360° Coverage.	1.00	0.80	US	83.00
MTC-28H	Horizontal-Array Bracket for Two Control 28s, 60° Splay, Three Brackets Connect to Form Suspendable Assembly for Three or Six Speakers, Providing 360° Coverage.	2.85	0.25	US	87.00
MTC-23V	Vertical-Array Wall Bracket for Three Control 23 Speakers.	1.95	0.28	US	85.00
MTC-25V	Vertical-Array Wall Bracket for Three Control 25 Speakers.	2.90	0.33	US	86.00
MTC-28V	Vertical-Array Wall Bracket for Three Control 28 Speakers.	8.00	0.44	US	92.00
Surface-Mount Installation Accessories					
MTC-23CM	Ceiling-Mount Adapter for Control 23, Black. Each Pack	0.30	0.01	CN	14.00
MTC-23CM-WH	Same as MTC-23, but in White.	0.30	0.01	CN	14.00
MTC-28/25CM	Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each Pack Contains 2 Pieces.	1.30	0.47	CN	26.00
MTC-28/25CM-WH	Same as MTC-28/25CM, but in White.	1.30	0.47	CN	26.00
MTC-29CM	Ceiling-Mount Adapter for Control 29AV, Black. Each Pack Contains 2 Pieces.	1.70	0.20	CN	27.00
MTC-29CM-WH	Same as MTC-29CM, but in White.	1.70	0.20	CN	27.00
MTC-29UB	U-Bracket for Control 29AV.	10.10	0.50	US	77.00
MTC-29UB-WH	Same as MTC-29UB, but in White.	10.10	0.50	US	77.00
MTC-30CM	Ceiling-Mount Adapter for Control 30, Black. Each Pack	1.70	0.20	TAIWAN	33.00
MTC-30CM-WH	Same as MTC-30CM, but in White.	1.70	0.20	TAIWAN	33.00
MTC-30UB	U-Bracket for Control 30.			US	84.00
MTC-30UB-WH	Same as MTC-30UB, but in White.			US	84.00
MTC-210UB	U-Bracket for Control SB-210 Subwoofer, Black.	9.50	1.28	US	90.00
MTC-210UB-WH	Same as MTC-210UB, but in White.	9.50	1.28	US	90.00
MTC-SB2W	Bracket for Installing Control SB-2 to Wall or Corner.	9.50	1.78	CN	120.00
MTC-SB2C	Bracket for Suspending Control SB-2 from a Ceiling.	5.00	0.30	CN	88.00
MTC-PC2	Panel Cover Provides Liquid-Tight Sealed Entrance for Input Terminal, also functions as Strain Relief, fits all Surface Models Except Control 18S (non-T). Each Pack Contains 2 Pieces.	0.30	0.02	CN	23.00
MTC-23SSG	Stainless Steel Replacement Grille for Control 23 Models,	0.24	0.03	CN	14.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
MTC-23SSG-BK	Same as above, painted Black.	0.24	0.03	CN	14.00
MTC-23SSG-WH	Same as above, painted White.	0.24	0.03	CN	14.00
MTC-23WMG	WeatherMax™ Replacement Grille for Control 23 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,	0.22	0.90	CN	29.00
MTC-23WMG-WH	Same as above, painted Black.	0.22	0.90	CN	29.00
MTC-25SSG	Stainless Steel Replacement Grille for Control 25 Models,	0.35	0.04	CN	20.00
MTC-25SSG-BK	Same as above, painted Black.	0.35	0.04	CN	20.00
MTC-25SSG-WH	Same as above, painted White.	0.35	0.04	CN	20.00
MTC-25WMG	WeatherMax™ Replacement Grille for Control 25 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,	0.33	1.80	CN	36.00
MTC-25WMG-WH	Same as above, painted White.	0.33	1.80	CN	36.00
MTC-28SSG	Stainless Steel Replacement Grille for Control 28 and Control 18 Models, Silver.	0.82	0.09	CN	35.00
MTC-28SSG-BK	Same as above, painted Black.	0.82	0.09	CN	35.00
MTC-28SSG-WH	Same as above, painted White.	0.82	0.09	CN	35.00
MTC-28WMG	WeatherMax™ Replacement Grille for Control 28 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,			CN	58.00
MTC-28WMG-WH	Same as above, painted White.			CN	58.00
Ceiling Speaker Installation Accessories					
MTC-TCD	Thick-Ceiling Dogears for Ceilings up to 60 mm (2.5 inches) Thick. Fits Control 24C/CT Micro and MicroPlus, 24C/CT, 26C/CT, and 19CS/CST. 1 Kit Contains 24 pcs of Dogears.	1.00	0.25	CN	8.00
MTC-24TR	Trim Ring for Retrofit Installations of Control 24 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10	9.80	0.33	US	145.00
MTC-26TR	Trim Ring for Retrofit Installations of Control 26 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10	0.79	0.02	US	145.00
MTC-24NC	Optional New Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	5.00	0.14	CN	94.00
MTC-24MR	Optional Mud (Plaster) Ring Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding.	6.00	0.63	CN	120.00
MTC-26NC	Optional New Construction Bracket for Control 26C and Control 26CT, Installs Before Sheetrock as Cutout Template. Each Pack	5.10	0.14	CN	109.00
MTC-26MR	Optional Mud (Plaster) Ring Construction Bracket for Control 26C and Control 26CT, Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	6.45	0.70	CN	147.00
MTC-19NC	Optional New Construction Bracket for Control 19CS, Control 19CST, Control 226C/T, MTC-300BB8 and MTC-200BB6. Installs before Sheetrock as Cutout Template. Each Pack Contains 6	5.30	0.14	CN	147.00
MTC-19MR	Optional Mud (Plaster) Ring Construction Bracket for Control 19CS, Control 19CST, and Control 226C/T. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each	7.00	0.63	CN	202.00
SRX SERIES LOUDSPEAKERS (JBL022)					
SRX700 Series Loudspeaker					

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
SRX712M	12" Two-Way, Low-Profile Stage Monitor/Utility System in a Symmetrical Enclosure; Dual-Angle 36mm Pole Mount Socket; 2262H Differential Drive® LF; 2431H 3" (Diaphragm) HF on 90° x 50° Horn Passive or Bi-Amplified Operation.	36.20	1.17	MX	1359.00
SRX715	15" Two-Way System in a Trapezoidal Enclosure; Dual -Angle 36mm Pole Mount Socket; 2265H Differential Drive® LF; 2431H 3" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi-Amplified Operation.	59.00	5.37	MX	1679.00
SRX715F	Same as SRX715 with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	65.00	5.46	MX	2029.00
SRX718S	18" Compact Subwoofer ; 2268H Differential Drive® Woofer; Top-Mounted M20 Threaded Pole Socket to Receive SS4-BK Adjustable Pole (See Accessories).	89.00	9.80	MX	1149.00
SRX722	Dual 12" Two-Way System in a Compact, Trapezoidal Enclosure; 2 x 2262H Differential Drive® LF; 2452H 4" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi-Amplified Operation.	80.00	6.69	MX	2059.00
SRX722F	Same as SRX722 , with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	85.00	6.82	MX	2399.00
SRX725	Dual 15" Two-Way System in a Trapezoidal Enclosure; 2 x 2265H Differential Drive® LF; 2452H 4" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi-Amplified Operation.	128.00	20.50	MX	2229.00
SRX725F	Same as SRX725 , with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	130.00	14.80	MX	2579.00
SRX728S	Dual 18", High Power Subwoofer ; 2 x 2268H Differential Driver® LF, Rectangular, Bass Reflex Enclosure.	175.00	23.40	MX	1899.00
SRX738	18" Three-Way System in a Trapezoidal Enclosure; 1 x 2268H Differential Drive® LF; 2169H MF on CMCD™ Cone Midrange Compression Driver; 2431H 3" (Diaphragm) HF; 60° x 40° Coverage; Passive or Bi-Amplified Operation.	116.00	11.70	MX	2279.00
SRX738F	Same as SRX738 with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	118.20	12.80	MX	2599.00
Mounting and Suspension Accessories					
SRX-FF3	Detachable Flying Fittings for SRX700F Models (3 pcs.)	1.00	0.03	US	89.00
229-00009-01	Set of 3 pcs M10 x 35 mm Forged Shoulder Steel Eyebolts. Note that Eyebolts do NOT come Standard with Loudspeakers.				36.00
SRX712M-YK	Mounting and Suspension Yoke Accessory for SRX712M.	4.90	5.80	US	85.00
SS2-BK	Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX	7.60	0.91	CN	205.00
SS4-BK	Adjustable Pole for use with SRX718S/VRX918S/VRX915S Subwoofer. M20 Threads on Bottom, 35mm Pole on Top.	7.00	0.19	GERMANY	129.00
Transport Accessories					

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
SRX722-CVR	Padded Cover for SRX722 and SRX722F. DISCONTINUED. FINAL INVENTORY AVAILABLE	2.60	0.48	CN	75.00
SRX728S-CVR	Padded Cover for SRX728S. DISCONTINUED. FINAL INVENTORY AVAILABLE	8.60	1.56	CN	145.00
SRX738-CVR	Padded Cover for SRX738 and SRX738F. DISCONTINUED. FINAL INVENTORY AVAILABLE	3.44	3.14	CN	95.00
WK-4S	Wheel Kit for SRX718S/VRX918S/VRX918S. 4 x Swivel Casters	7.00	0.39	CN	85.00
MRX500 SERIES(JBL023)					
MRX Passive Loudspeakers					
MRX512M	12" Two-way Portable Monitor or Front of House Speaker System. 400 watt Continuous Power Capacity. 12" Differential Drive Woofer and a 1.5" Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	30.00	3.60	MX	799.00
MRX515	15" Two-way Portable Speaker System, 400 watt Continuous Power Capacity. 15" Differential Drive Woofer and a 1.5" Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	45.00	6.00	MX	819.00
MRX518S	Compact 18" Portable Subwoofer System, 500 watt Continuous Power Capacity. 18" VCG™ Woofer in a Duraflex™- Covered, 18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, and 35mm Pole Mount Cup, Non-Skid Rubber Feet.	80.00	8.94	MX	799.00
MRX525	Dual 15" Two-way Portable Speaker System, 800 watt Continuous Power Capacity. Two 15" Differential Drive Woofers and a 1.5" Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	100.00	16.90	MX	1159.00
MRX528S	Dual 18" Portable Subwoofer System, 1000 watt Continuous Power Capacity. Two 18" VCG™ Woofer in a Duraflex™- Covered, 18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, Non Skid Rubber Feet.	143.00	15.60	MX	1159.00
STUDIO MONITORS (JBL025)					
LSR2300 Series Studio Monitors					
LSR2310SP	Powered Subwoofer with Magnetically-Shielded 230H 10" Woofer and 180 Watt RMS Amplifier. Integrated Bass Management Crossover with Selectable Cross-over Settings and Polarity Control. Left and Right Balanced XLR 1/4", and unbalanced RCA Inputs with Dented Level Control. Left and Right Balanced XLR and 1/4" High-Passed Outputs.	53.00	4.99	CN	499.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
LSR2325P	Bi-amplified Studio Monitor with Magnetically-Shielded 235G 8" Low Frequency Transducer and 231H 1" Silk Substrate Soft-Dome High Frequency Transducer Mounted on EOS Waveguide with Elliptical Aperture. 50 Watt RMS Amplifier for LF, and 35 Watt RMS Amplifier for HF. Balanced XLR 1/4", and unbalanced RCA Inputs with Dented Level Control, HF and LF Trim Controls. Wall Mount Ready with Included Mounting Points.	19.00	2.67	CN	249.00
LSR2328P	Bi-amplified Studio Monitor with Magnetically-Shielded 238G 8" Low Frequency Transducer and 231H 1" Silk Substrate Soft-Dome High Frequency Transducer Mounted on EOS Waveguide with Elliptical Aperture. 90 Watt RMS Amplifier for LF, and 70 Watts RMS Amplifier for HF. Balanced XLR 1/4", and unbalanced RCA Inputs with Dented Level Control, HF and LF Trim Controls. Wall Mount Ready with Included Mounting Points.	33.00	2.24	CN	439.00
LSR4300 Series Studio Monitors	All Models Employ Linear Spatial Reference Technology, and DSP-Enabled JBL RMC™Room Mode Correction System for Greater Accuracy at the Mix Position. All Models are Magnetically Shielded, Have Intergrated Handles and			CN	
LSR4328P	Bi-amplified Monitor with JBL DSP-Enabled RMC™ Room Mode Correction System. 438H 8" Polymer Coated Fiber Low Frequency Transducer with Self-Shielded Neodymium Magnet Structure, 431G 1" Soft Dome Tweeter with Self-Shielded Neodymium Magnet Structure and Ferro Fluid Cooling; 150 Watts amplification for LF, 70 Watts Amplification for HF; XLR and ¼" Balanced Analog Inputs; AES/EBU and S/PDIF Digital Inputs; Integrated Processing Provides Automated Room Mode Correction, and Compensation For Speaker-to-Speaker Placement Variations. Front Panel Includes Output Level Meter and User Controls. Harman HiQnet™ Network and USB Computer Interface Provide Centralized Control Of Entire System From Any Speaker, IR Remote Control or LSR4300 Control Center Software. (See LSR4300 Accessory Kit) Network Cable Included.	42.00	2.53	CN	925.00
LSR4328P/PAK	LSR4328P (x2) and LSR4300 Accessory Kit (x1).	85.00	6.24	CN	1850.00
LSR4328P5.1	5.1 Surround System Including Five LSR4328P, One LSR4312SP Subwoofer and One LSR4300 Accessory Kit. (LSR4328PAK x 1; LSR4328P x 3; LSR4312SP x 1)			USA	5525.00
LSR4326P	Same as LSR4328P Except: Incorporates 436H 6" Polymer Coated Fiber Low Frequency Transducer with Self-Shielded Neodymium Magnet Structure, and 431G 1" Soft Dome Tweeter with Self-Shielded Neodymium Magnet Structure and Ferro Fluid Cooling. 150 Watts Amplification for LF, 70 Watts Amplification for HF.	38.00	2.63	CN	650.00
LSR4326P/PAK	LSR4326P (x2) and LSR4300 Accessory Kit (x1).	75.00	5.54	CN	1300.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
LSR4326P5.1	5.1 Surround System Including Five LSR4326P, One LSR4312SP Subwoofer and One LSR4300 Accessory Kit. (LSR4326PAK x 1; LSR4326P x 3; LSR4312SP x 1)			CN	4230.00
LSR4312SP	Active Subwoofer amplified Monitor with DSP-Enabled RMC™ Room Mode Correction System for use LSR4328P and LSR4326P. 432G 12" Polymer Coated Fiber Woofer with Self-Shielded Neodymium Magnet Structure, 300watts Continuous Power Amplifier. Comprehensive Bass Management System with Selectable 50Hz, 80Hz, 120Hz Crossover Points. Balanced XLR and ¼" Inputs; Selectable +4, -10dB Sensitivity for Left, Right, Center, LFE, Left Surround and Right Surround Channels. Digital AES/EBU XLR and S/PDIF RCA 2 Channel Inputs. Front Panel Controls and SPL Display. RS485 Network and USB Computer Interface Provide Centralized Control Of Entire System From Any Speaker, IR Remote Control or LSR4300 Control Center Software* . (See LSR4300 Accessory Kit) *When Used with LSR4328P or LSR4326P and LSR4300 Accessory Kit.	79.00	6.12	CN	1200.00
LSR4300KIT	For Use with JBL LSR4328P, LSR4326P. Includes LSR4300 Measurement Microphone, Remote Control, LSR4300 Control Center Software, USB Cable and batteries. (Already included in LSR4328P/PAK and LSR4326P/PAK.)	0.00	0.00	CN	270.00
LSR6300 Series Studio Monitors	All Models Employ Linear Spatial Reference Technology, have Mounting Provisions and are THX ® pm3™ Approved.				
LSR6332L	Three-Way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite Magnetically-Shielded HF Transducer Mounted on EOS Waveguide. 4th-Order Linkwitz-Riley Crossover; -1 dB HF Trim. Dual Pairs of 5-Way Binding Posts; Bi-wire Capability. 200 watts RMS and 800 watts Peak Power Handling.	56.10	4.88	USA	1735.00
LSR6332R	Three-way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite Magnetically-Shielded HF Transducer mounted on EOS Waveguide. 4th-Order Linkwitz-Riley Crossover; -1 dB HF Trim. Dual pairs of 5-Way binding posts; Bi-Wire Capability. 200 watts RMS and 800 watts Peak Power Handling.	56.10	4.88	USA	1735.00
LSR6328P	Bi-Amplified Monitor with New JBL RMC™ Room Mode Correction EQ Circuit. 8" Differential Drive® Low Frequency Transducer with Dynamic Braking, 1" Composite High Frequency Transducer Mounted on EOS Waveguide, 36 dB/Octave Crossover Slopes, 250 Watts RMS for LF, and 100 watts RMS for HF; XLR/1/4" Inputs, with Selectable +4, +8 dBV, -10 dBV Sensitivity, 3 Boundary Compensation Settings. Integrated Metal Handles.	47.00	5.10	USA	1680.00
LSR6328P/PAK	LSR6328P (x2) and an RMC Calibration Kit	106.00	6.04	USA	3365.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
LSR6328P/5.1	5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6328P (x5) and LSR6312SP (x1)	325.00	19.80	USA	9785.00
LSR6325P-1	Compact Bi-Amped Two-Way Near Field, 5.25" Low Frequency Transducer with SFG™, 1" Composite High Frequency Transducer Mounted on EOS Waveguide, 24 dB/octave Crossover Slopes, Active Drive Electronics for Spectral Balance Adjustments, 100 watts RMS for LF and 50 watts RMS for HF. XLR, +4 dBu, RCA -10 dBV inputs. Die-cast Enclosure, Fully Shielded. Black Powder Coat Finish.	23.00	0.90	CN	525.00
LSR6325P/5.1	5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6325P (x5) and LSR6312SP (x1)	175.00	9.00	CN	4290.00
LSR25PTOTE	Soft Carry Case , With Wheels, Holds a Pair of LSR6325P or LSR25P.	19.00	2.10	CN	190.00
LSR6312SP	Active Subwoofer with new JBL RMC™ Room Mode Correction EQ circuit. Comprehensive bass management system accommodates all surround formats. XLR/1/4" inputs with selectable +4, +8 dBu, -10 dBV sensitivity. Boundary compensation; LCR, and Direct LFE input; Summed output; Subwoofer remote bypass jack; 12" Differential Drive® Woofer, 260 Watts Continuous Power Amplifier	63.00	5.00	USA	1890.00
RMC Calibration Kit - 351145 -001	For Use with JBL LSR6328P and LSR6312SP. Everything Needed to Measure Room, Identify Room Modes, and Adjust the RMC System. Includes sound level meter, test CD, Q template, adjustment tool, RMC remote bypass switch, battery, and instructions				155.00
CONE TRANSDUCERS (JBL026)					
Low Frequency Transducers					
2206H	12" High Power , Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	20.00	0.79	USA	429.00
2226H	15" High Power , Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	22.00	1.29	USA	479.00
2226J	15" High Power , Low Frequency, 600W AES Vented Gap Cooling™, 16 ohms.	22.00	1.29	USA	479.00
2241H	18" High Power , Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	28.00	2.31	USA	759.00
2242H	18" Maximum Output , 800W AES Super Vented Gap Cooling™, 8 ohms.	35.00	2.49	USA	969.00
COMPRESSION DRIVERS (JBL027)					
2426H	Compression Driver , 1.75" Titanium Diaphragm, 8 ohms.	8.50	0.20	USA	419.00
2426J	Compression Driver , 1.75" Titanium Diaphragm, 16 ohms.	8.50	0.20	USA	419.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
2446H	Compression Driver , 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 8 ohms.	34.00	0.48	USA	799.00
2446J	Compression Driver , 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 16 ohms	34.00	0.48	USA	799.00
2447H	Compression Driver , 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 8 ohms.	26.00	0.50	USA	799.00
2447J	Compression Driver , 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 16 ohms.	26.00	0.50	USA	799.00
2450H	Compression Driver , 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Assembly, 8 ohms.	13.50	0.30	USA	1469.00
2450J	Compression Driver , 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Assembly, 16 ohms.	13.50	0.30	USA	1469.00
2451H	Compression Driver , 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Structure, 8 ohms.	13.50	0.30	USA	1429.00
2451J	Compression Driver , 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Structure, 16 ohms.	13.50	0.30	USA	1429.00
BI-RADIAL HORNS (JBL028)					
2360B	Bi-Radial® Horn , Constant Coverage 90° x 40°, 2" Throat, 350 Hz. (Replaces 2360A).	45.00	9.98	USA	879.00
2370A	1" Flat-Front Bi-Radial® Horn , 90° x 40°, 800 Hz.	4.07	0.69	USA	239.00
2380A	2" Medium Format Flat-Front Bi-Radial® Horn , 90° x 40° Nominal Pattern, 500Hz.	7.00	1.14	USA	309.00
2382A	2" Medium Format Flat-Front Bi-Radial® Horn , 120° x 40° Nominal Pattern, 500Hz.	7.50	1.37	USA	389.00
2385A	2" Medium Format Flat-Front Bi-Radial® Horn , 60° x 40° Nominal Pattern, 500Hz.	7.50	1.37	USA	309.00
2506C	Heavy Duty Steel Adjustable-Position Mounting Bracket for 2360B, 2365A and 2366A Constant Coverage Bi-Radial® Horns (Replaces 2506B).	17.30	1.24	USA	181.00
2509A	Three-Way Adjustable-Position Mounting Bracket for 2380 Series Flat-Front Bi-Radial® Horns and 2350 Series Bi-Radial® Horns (Not for Suspension).	15.00	0.62	USA	139.00
CONTROL SERIES MONITORS (JBL029)					
C1PRO	Two-Way, Professional Compact Loudspeaker , 150 Watts, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Magnetically Shielded Transducers, SonicGuard™ Overload Protection, Mounting Bracket Included. Priced as each, Sold in Pairs	6.00	0.40	CHINA	101.00
C1PRO-WH	Same as C1PRO, but in White.	6.00	0.40	CHINA	101.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
C2PS	Control 2P Stereo Pair. Includes one C2PM powered master, one Passive Extension Speaker, and one Power Supply and two Snap-On Angle Pedestals. Both speakers have a 5.25" Low Frequency and .75" Polycarbonate Dome Tweeter, Shielded Magnets, Molded Enclosures. Powered master incorporates 35 watts amplification x 2 channels; two Balanced XLR ¼" and two unbalanced RCA inputs; Stereo Volume Control; Stereo Headphone Jack; HF Contour Control.	11.00	0.19	CHINA	249.00
C2PM	One Control 2P Powered Master speaker, (without passive extension speaker) and power supply.	6.50	0.19	CHINA	189.00
CONTROL 5	Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, Black, Priced as Each. Master Pack Quantity: 2 Pieces.	11.50	1.25	CHINA	207.70
CONTROL 5-WH	Same as CONTROL 5, but in White.	11.50	1.25	CHINA	207.70
Control Series Accessories					
MTC-2P	Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, One Power Supply Holder. Not Recommended For Mobile Applications.	1.00	0.04	CHINA	25.00
MTC-8	Low Cost, Fixed Angle Wall-Mount Bracket, Black, for Control 1 And Control 1C. Master Pack Quantity: 2 Pieces.			USA	11.50
MTC-51	Wall-Mount Bracket, Polymer Ball and Clamp Design, Black. Master Pack Quantity: 6 Pieces.	1.91	0.17	USA	110.00
MTC-51-WH	Same as MTC-51, but in White.	1.91	0.17	USA	110.00
MTC-52	Ceiling-Mount Bracket, Polymer Ball and Clamp Design, Black. Master Pack Quantity: 6 Pieces.	2.08	0.11	USA	95.00
MTC-52-WH	Same as MTC-52, but in White.	2.08	0.11	USA	95.00
CINEMA SYSTEMS (JBL030)					
Theatre Sound Systems					
3722 *NEW*	Two-Way Screen Array® For Small Cinemas For Bi-Amp Applications. 400 Watts, Dual 15" Low Frequency Section (3739), with 90° x 50° 2374 ScreenArray Horn, 1.75" 2418H-1 Driver and Bracket. High Frequency Section Comes Fully Assembled. Crossover Freq. 1300 Hz	174.60	22.47	USA	1075.00
3722N *NEW*	Two-way ScreenArray® For Small Cinemas For Passive Applications, 400 Watts, Dual 15" Low Frequency Section (3739), with 90° x 50° 2374 ScreenArray Horn, 1.75" 2418H-1 Driver and Bracket. High Frequency Section Comes Fully Assembled. Crossover Freq. 1300 Hz, 4 ohms, Frequency Range 30 Hz - 20 kHz.	174.60	22.47	USA	1126.00
3732 *NEW*	Three-way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Mid/High Section Completely Assembled and Pre-Aimed. Components: 3739 Low Freq. Section, 3732-M/HF Mid-High Freq. Section	248.00	33.87	USA	2298.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
3732T *NEW*	Three-way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Mid/High Section Completely Assembled and Pre-Aimed. Components: 3739 Low Freq. Section, 3732-M/HF Mid-High Freq. Section	248.00	33.96	USA	2593.00
3731 *NEW*	Three-way ScreenArray for Small to Medium Cinemas and Post Production, with single 15" LF Section. For Bi-amp Applications. Flat Front design for Easy Bafflewall Installation. Mid High Section Completely Assembled and Pre-Aimed. Components: 5641 Single 15" Low Freq. Section, 3732-M/HF Mid-High Freq. Section.	166.00	30.80	USA	2437.00
3731T *NEW*	Three-way ScreenArray for Small to Medium Cinemas and Post Production, with single 15" LF Section. For Tri-amplified Applications. Flat Front Design for Easy Bafflewall Installation. Mid High Section Completely Assembled and Pre-Aimed. Components: 5641 Single 15" Low Freq. Section, 3732-M/HF-T Mid-High Section.	199.00	31.12	USA	2374.00
4722 *NEW*	Two-Way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. 600 Watts, Dual 15" Low Frequency Section (4739) With 90° x 50° 2384 ScreenArray Horn, 3" 2432H Driver and Bracket. High Frequency Section Comes Fully Assembled. Crossover Frequency 630 Hz.	185.20	22.20	USA	1562.00
4722N *NEW*	Two-Way ScreenArray for Small to Medium Cinemas For Passive Applications, 4722 Model with Network. 750 Hz	181.00	22.66	USA	1656.00
4732 *NEW*	Three-Way ScreenArray for Medium to Large Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Mid/High Section Completely Assembled and Pre-Aimed. Components: 4739 Low Freq. Section, 4732-M/HF Mid-High Freq. Section	307.00	42.00	USA	3114.00
4732T *NEW*	Three-Way ScreenArray for Medium to Large Cinemas For Tri-Amp Applications. Flat Front Design for Easy Bafflewall Installation Mid-High Section Completely Assembled and Pre-Aimed. Components: 4739 Low Freq. Section, 4732 M/HF-T Mid-High Freq. Section.	248.00	33.96	USA	3114.00
Low Frequency Sections For Theatre Sound Systems					
3739 *NEW*	4 ohm Low Frequency Section for 3732 and 3722N System Components: Two M115-8A Installed in 3639 Enclosure	131.00	14.27	USA	729.00
4739 *NEW*	4 ohm Low Frequency Section for 3732T, 4732 and 4732T Components: Two 265H Installed in 4739 Enclosure	149.00	14.28	USA	989.00
4670D	Direct-Radiator High Power System , Components: 4638TH, 4670D-HF.	211.50	22.22	USA	2454.00
4675C	Direct-Radiator High Power Large System , Components: 4638TH, 4675C-HFA.	256.00	32.98	USA	3043.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
4675C-4LF	Direct-Radiator High Power Large System for Bi-Amplified Applications, 4 ohm Low Frequency Section, 8ohm High Frequency Section, Components: 4648A, 4675C-HFA.	253.50	32.99	USA	3157.00
4675C-8LF	Direct-Radiator High Power Large System for Bi-Amplified Applications, 8 ohm Low Frequency Section, 8 ohm High Frequency Section, Components: 4648A-8, 4675C-HFA, Approved by Lucasfilm, Ltd., for THX® System Installations.	253.50	32.99	USA	3157.00
5672	Mid-Size Three-Way Screen Channel System , Dual Woofer. For Tri-Amplified Applications. Components: 4648A, 5674-M/HF, Approved by Lucasfilm, Ltd., for THX® System Installations.	314.50	54.28	USA	6311.00
5672BI	Bi-Amplified Version of 5672 with 3172 Crossover.	314.50	54.28	USA	6408.00
5674	Large Three-Way Screen Channel System , Quad Low Frequency Cabinet, for Tri-Amplified Applications. Components: 5644, 5674-M/HF, Approved by Lucasfilm, Ltd., for THX® System Installations.	503.00	58.53	USA	7720.00
Low Frequency Sections					
3639	4 ohm Low Frequency Section for 3632 System. Components: Two M115-8A Installed in 3639 Enclosure.	142.00	14.27	MEXICO	729.00
3678-LF	8 ohm Low Frequency Section for 3678 System. Components: 2226H Installed in 3678-LF Enclosure with Internal Crossover Network.	89.00	8.58	MEXICO	927.00
4638	4 ohm Low Frequency Cabinet. Components: Two 2035H Installed in 4508A Enclosure.	146.00	16.80	MEXICO	1287.00
4638TH	4 ohm Low Frequency Section for 4670D and 4675C Systems. Components: Two 2035H with Crossover Network Installed in 4508A Enclosure.	150.00	17.18	MEXICO	1323.00
4639	4 ohm Low Frequency Section for 4632, 4632T and 3632T Systems. Components: Two 2035H-1 Installed in a 4639 Enclosure.	153.00	14.30	MEXICO	989.00
4648A	4 ohm Low Frequency Section for 4675C-4LF System. Components: Two 2226H Installed in 4508A Enclosure.	147.50	17.19	MEXICO	1437.00
4648A-8	8 ohm Low Frequency Section for 4675C-8LF System. Components: Two 2226J Installed in 4508A Enclosure, Approved by Lucasfilm, Ltd., for THX® System Installations.	149.50	17.19	MEXICO	1437.00
High Frequency Sections For Theatre Sound Systems					
3722-HF *NEW*	High Frequency Section for 3722 System. Bi-Am Components 2374 ScreenArray Horn, 2418H-1 Driver Pre-Assembled.			USA	346.00
3722N-HF *NEW*	High Frequency Section for 3722N System – Passive. Components: 2374 ScreenArray Horn, 2418H-1 Driver, Network and Bracket Pre-Assembled	32.30	8.44	USA	397.00
3732-M/HF *NEW*	Mid/High Frequency Section for 3732 System - Components: Two 165H Mid Frequency and One 2432H High Freq. Pre-Assembled and Pre-Aimed	71.00	20.10	USA	1569.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
3732-M/HF-T *NEW*	Mid/High Frequency Section for 3732T System. Components: Two 165H Mid Frequency and One 2432H High Freq. Pre-Assembled and Pre-Aimed	168.00	28.80	USA	1604.00
4722N-HF *NEW*	High Frequency Section for 4722N System – Passive. Components: 2384 ScreenArray Horn, 2432H Driver, Network and Bracket. Pre-Assembled	25.00	23.90	USA	667.00
4722-HF *NEW*	High Frequency Section for 4722 System – Bi-Amp. Components: 2384 ScreenArray Horn, 2432H Driver, and Bracket. Pre-Assembled	30.00	8.20	USA	573.00
4732-M/HF *NEW*	Mid/High Frequency Section for 4732 System. Components: Four 165H Mid Frequency and One 2432H High Freq. Pre-Assembled and Pre-Aimed	110.00	29.12	USA	2125.00
4732-M/HF-T *NEW*	Mid/High Frequency Section for 4732T System Components: Four 165H 6.5" Mid Range and One 2432H High Freq. Pre-Assembled and Pre-Aimed	108.00	29.12	USA	2125.00
3622N-HF	High Frequency Section for 3622N System. Components: 2374HF Horn and One 2418H-1 Driver, Passive Network, Pre-Assembled and Pre-Aimed. DISCONTINUED. FINAL INVENTORY AVAILABLE	32.60	8.20	USA	397.00
3632-M/HF-T	Mid/High Frequency Section for 3632T System. Components: Two 165H Mid Frequency and One 2418H-1 High Frequency, Pre-Assembled and Pre-Aimed. Approved by Lucasfilm, Ltd., for THX® System Installations. DISCONTINUED. FINAL INVENTORY AVAILABLE.	106.00	19.60	USA	1601.00
4622-HF	High Frequency Section for 4622 System. Components: 2384HF Horn and One 2430H Driver, Pre-Assembled and Pre-Aimed. DISCONTINUED. FINAL INVENTORY AVAILABLE	30.20	8.20	USA	573.00
4632-M/HF	Mid/High Frequency Section for 4632 System. Components: Four 165H 6.5" Mid Range and One 2425HS High Frequency, Pre-Assembled and Pre-Aimed. Approved by Lucasfilm, Ltd., for THX® System Installations. DISCONTINUED. FINAL INVENTORY AVAILABLE	158.00	28.80	USA	2124.00
3678-HF	High Frequency Section with Horn Bracket for 3678 System. Components: 2425HS, 2342, Bracket.	13.00	0.84	USA	547.00
4670D-HF	High Frequency Section with Swivel Horn Bracket for 4670D System, Components: 2446H, 2380A, 2509A.	61.50	5.04	USA	1132.00
4675C-HFA	High Frequency Section with Swivel Horn Bracket for 4675C, 4675C-4LF and 4675C-8LF System. Components: 2446H, 2360B, 2506C.	94.00	9.70	USA	1723.00
5674-M/HF	Mid/High Frequency Section for 5672 and 5674 System. Components: 2392, 2490H, 2352 and 2451H.	146.00	25.00	USA	4741.00
Subwoofer Sections					
3635	8 ohm, Single 18" Bass Reflex Subwoofer System, Shallow Profile. Components: Single 2042H, 300 watts.	128.25	14.80	MEXICO	820.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
4641	8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2241H Installed in a Single 18" Enclosure, 600 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.	131.00	16.40	MEXICO	846.00
4642A	4 ohm, Dual 18" Bass Reflex Subwoofer System. Components: Two 2241H Installed in Dual 18" Enclosure, 1200 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.	228.00	26.70	MEXICO	1928.00
4642A-GS	4 ohm, Dual 18" Bass Reflex Subwoofer System with Grille. <i>Approved by Lucasfilm, Ltd., for THX® System Installations.</i>	232.00	26.70	MEXICO	2101.00
4645C	8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2242H Installed in 4518A Enclosure, Single Port, 800 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.	144.50	17.30	MEXICO	1384.00
Surround Systems					
8320	Two-Way Surround System, 8" Low Frequency Driver, 1" Dome Tweeter, HF Protection Circuit, 8 ohms. Packed 2 Pieces Per Master Pack.	14.50	1.86	TAIWAN	235.00
8350	Two-Way, Very High Power, 350 Watt Surround. Titanium High Frequency Compression Driver with Constant Coverage Horn. Design Shape Incorporates 20 Degree Angled Front Baffle Compact, Low Cost, 150 Watt, High Performance. Features 8" Long Throw Woofer For Extended Low Frequency and Internal Thermomaster® Technology for Unprecedented High Frequency Power. Molded Black Textured Enclosure. Uses JBL QuickMount Bracket. Price as Each, Sold in Pairs.	21.25	2.87	MEXICO	520.00
8340A	Two-Way Surround System, High Power, 250 watts, Convenient Mounting Design uses JBL Quick-Mount® Brackets, Design Shape Incorporates 20° Angled Front Baffle, Black Rigid Molded Enclosure, Input Terminals Located on Top Of Cabinet For Quick Access, Net Weight 19 lbs., Approved by Lucasfilm, Ltd., for THX® System Installations. Packed 2 Pieces Per Master Pack.	21.25	2.87	MEXICO	410.00
System Accessories					
2502	Wall Mount U-Bracket for 8300 Series and 3310 Surrounds.	14.00	1.30	USA	51.00
2506C	Heavy-Duty Steel Adjustable-Position Mounting Bracket for 2360B and 2365A Constant-Coverage Bi-Radial® Horns. (Replaces 2506B).	17.30	1.24	USA	181.00
2509A	Three-Way Adjustable-Position Mounting Bracket for 2380 Series Flat-Front Bi-Radial® Horns and 2350 Series Bi-Radial® Horns (Not for Suspension).	15.00	0.62	USA	139.00
2516	Quick-Mount® Fixed Angle Bracket for 8330A and 8340A. Packed 2 Pieces Per Master Pack.	2.70	0.15	USA	33.00
2517	Adjustable Bracket for 8330A and 8340A. Packed 2 Pieces Per Master Pack.	2.70	0.15	USA	44.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VP SERIES - VENUE PERFORMANCE (JBL036)					
VP Series Models					
New 10" Two-Way and 12" Floor Monitor Powered Systems					
VP7210/95DP	Powered High-Output 2-Way Full-Range Fill Loudspeaker with 1 x 10" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes Compact DPC-2 Amplifier Module with Analog Input. Six M10 Suspension Points. Suspension Requires M10 Eyebolts Sold Separately. Available in Black Only.	50.00	3.54	MEXICO	3369.00
VP7212MDP	Powered High-Output 2-Way Stage-Monitor Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 50° x 90° Coverage, Bi-Amplified. Utilizes Compact DPC-2 Amplifier Module with Analog Input. Optimized for Use as Stage-Monitor. Available in Black Only.	57.60	5.12	MEXICO	3479.00
VP Compact 2-Way Powered Loudspeaker System					
VP7212/95DPC	Compact Powered High-Output 2-way Full-Range Loudspeaker With 1 x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes compact DPC-2 amplifier module with analog input. Nine M10 & two M6 suspension points. Integrated 35mm stand mount socket in bottom panel. Suspension requires M10 eyebolts sold separately. Available in Black only.	54.00	3.20	MEXICO	3399.00
VP7215/95DPC	Compact Powered High-Output 2-way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes compact DPC-2 amplifier module with analog input. Thirteen M10 suspension points. Integrated 35mm stand mount socket in bottom panel. Suspension requires M10 eyebolts sold separately. Available in Black only.	63.00	7.40	MEXICO	3799.00
Current VP Series Models Now Available with Standard dbx (Non-Network) Input Module					
VP7215/95DP	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	91.00	9.20	MEXICO	5409.00
VP7215/64DP	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	101.00	10.96	MEXICO	5409.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VP7212/95DP	Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	91.00	9.20	MEXICO	4999.00
VP7212/64DP	Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	92.00	9.20	MEXICO	4999.00
VP7315/64DP	Powered High-Output 3-Way Full-Range Loudspeaker with 1 x 15" LF, 1 x 8" MF, & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	140.00	17.04	USA	7229.00
VPSB7118DP	Powered High-Output Single 18" Subwoofer. Eight 3" Flytrack and Twenty-Four M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	146.00	1.30	USA	4999.00
VP Series Models					
VP7215/95DPAN	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	91.00	9.20	US	6279.00
VP7215/95DPCN	VP7215/95DPCN (Optional CobraNet™ Input Module)	91.00	9.20	US	6879.00
VP7215/64DPAN	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	101.00	10.96	MX	6279.00
VP7215/64DPCN	VP7215/64DPCN (Optional CobraNet™ Input Module)	101.00	10.96	US	6879.00
VP7212/95DPAN	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	91.00	9.20	US	5869.00
VP7212/95DPCN	VP7212/95DPCN (Optional CobraNet™ Input Module)	91.00	9.20	US	6469.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VP7212/64DPAN	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 60°x 40° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	92.00	9.20	MX	5869.00
VP7212/64DPCN	VP7212/64DPCN (Optional CobraNet™ Input Module)	92.00	9.20	US	6469.00
VP7315/64DPAN	Powered High-Output 3-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	140.00	17.04	MX	8139.00
VP7315/64DPCN	VP7315/64DPCN (Optional CobraNet™ Input Module)	140.00	17.04	US	8769.00
VPSB7118DPAN	Powered High-Output Single 18" Subwoofer 1 x 18" 2268G Differential Driver™ Woofer. Eight 3" Flytrack and Twenty-Four M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	146.00	1.30	US	5869.00
VPSB7118DPCN	VPSB6118DPCN (Optional CobraNet™ Input Module)	146.00	1.30	US	6469.00
VP SERIES BRACKETS & RIGGING ACCESSORIES					
PA7212-2	Two Wide Planar Array Kit for VP7212 Loudspeaker System	15.90	0.30	US	969.00
PA7215-2	Two Wide Planar Array Kit for VP7215 Loudspeaker System	16.80	0.30	US	969.00
PA7315-2	Two Wide Planar Array Kit for VP7315 Loudspeaker System	18.90	0.40	US	969.00
PA7212-18V	Planar Array Kit for Rigging Two VP7212 Loudspeakers Under One VPSB7118 Subwoofer System in a Vertical Array	70.00	0.30	US	1249.00
PA7212-18H	Planar Array Kit for Rigging One VPSB7118 Subwoofer System with a VP7212 Loudspeaker System on each Side in a Horizontal Array	90.00	0.30	US	1339.00
MTU7212	U-Bracket for VP7212 LoudSpeaker System	17.30	1.91	US	389.00
MTU7215	U-Bracket for VP7215 Loudspeaker System	25.00	2.80	US	499.00
YM7212-15	Yoke Mount (Pan & Tilt) for VP7212 and VP7215 Loudspeaker Systems	30.50	3.71	US	1069.00
SM7200	Stand Mount for VP7210, VP7212 and VP7215 Loudspeaker Systems	8.00	0.60	US	269.00
229-00009-01	Set of 3 Pcs M10 x 35 mm Forged Shoulder Steel Eyebolts. Note That Eyebolts do NOT come Standard with Loudspeaker.			US	36.00
364287-001	1 pc M8 x 35 mm Forged Shoulder Steel Eyebolts. Note That Eyebolts do NOT come Standard with Loudspeaker.			US	30.00
SRX-FF3	Set of 3 pcs Detachable Flying Fittings for VP Series Loudspeaker Models.	1.00	0.03	US	89.00
PM42	42" Pole for use with SM7200 when pole mounting VP7210, VP7212, and VP7215 over a VPSB7118	5.00		US	149.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VP SERIES ADDITIONAL ACCESSORIES					
VP7210-CVR	Padded Cover for VP7210			US	119.00
VP7212M-CVR	Padded Cover for VP7212M	5.00	1.00	US	139.00
VP7212-ACC	Padded Cover for VP7212	4.17	0.58	US	169.00
VP7215-ACC	Padded Cover for VP7215	5.00	0.73	US	199.00
VP7315-ACC	Accessory Kit for VP7315. Includes Padded Cover and Dolly Wheelboard.	32.00	4.97	US	849.00
VP7118-ACC	Accessory Kit for VPSB7118. Includes Padded Cover and Dolly Wheelboard.	40.00	5.80	US	849.00
MARQUIS SERIES INSTALLATION LOUDSPEAKERS(JBL039)					
MS26-WH	100° x 70° Two-Way Full Range System, 150W; Components: LF 2x 150mm (6"), HF 100° x 70° Elliptical Waveguide; Specifications: 45 Hz-20 kHz, 91 dB (1W, 1m), 150W Continuous Pink Noise; Features: 100° x 70° Elliptical Waveguide, Suspension Points, Yoke Bracket Included, Weather Resistant; H x W x D: 599 x 217 x 241 mm (24" x 8.6" x 9.5"). White DISCONTINUED. FINAL INVENTORY AVAILABLE	35.00	3.32	US	999.00
MS28-WH	100° x 80° Two-Way Full Range System, 200W; Components: LF 2x 200mm (8"), HF OASR Waveguide; Specifications: 40 Hz-20 kHz, 94 dB (1W, 1m), 200W Continuous Pink Noise; Features: 85° x 85° OASR Waveguide Allows Vertical or Horizontal Box Orientation, Built-In Suspension Points, Yoke Bracket included, Weather Resistant; H x W x D: 676 x 291 x 321 mm (26.6" x 11.5" x 12.65"). White DISCONTINUED. FINAL INVENTORY AVAILABLE	53.00	5.49	US	1159.00
VerTec® (JBL045)					
VerTec® FULLSIZE ARRAYABLE SUBWOOFERS					
VT4880	2 x 18" Arrayable Subwoofer for suspension or ground-stacking. Two 2258H 18" Neodymium Magnet, Differential Drive Direct Cooled low frequency loudspeakers. Centrally-vented trapezoid enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, ten handles. Integral end-mounted rigging frames, fully compatible with VT4889 full range line array elements to form articulated line arrays. Suspend with VT4889-AF and/or VT4889-SF Array Frame. Order available –ACC Kit to receive hingebars, dolly and cover. (71.2 kg / 157 lb)	185.00	29.20	MX	4319.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VT4880-ACC	Accessory Kit for VT4880 subwoofer is sold and shipped as a separate item. Includes all items necessary for proper transport, protection and rigging of one VT4880: (1) VT4880-DOLLY, (1) VT4880-COVER, and (1) VT4889-RIG (set of four required hinge bars for suspension of the enclosure in arrays). Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black. Important Note: order one VT4880-ACC with each VT4880. (20 kg / 50 lb)	50.00	4.00	US	979.00
VT4880A	2 x 18" Ultra Long Excursion, High Power Handling Arrayable Subwoofer line array element for suspension or ground stacking. Two new 2269H 457 mm (18") Neodymium Magnet, Differential Drive Direct Cooled low frequency loudspeakers each with 2000W AES/8000W Peak Power Handling. Centrally-vented trapezoid enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, twelve handles. Both NL8, NL4 connectors installed. Integral end-mounted rigging frames, fully compatible with VT4889 full range line array elements to form articulated line arrays. Ships with hinge bars. Suspend with VT4889-AF or VT4889-SF Array Frame. (83.9 kg / 185 lb)	180.00	30.31	US	5799.00
VT4880A-ACC	Accessory Kit for VT4880A Subwoofer is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4880A: (1) VT4880-DOLLY, (1) VT4880-COVER. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black. Important Note: Order one VT4880A-ACC with each VT4880A. (20 kg / 42 lb)	42.00	4.00	US	739.00
VerTec® COMPACT ARRAYABLE SUBWOOFER					
VT4881A	Compact 1x18" Very Low Frequency Arrayable Subwoofer. Replaces VT4881. One 2269H 18" Ultra Long Excursion Dual-Coil Differential Drive Woofer. PlyMax™ Engineered Panels, Integrated Rigging, Perforated Steel Grilles With Foam Backing, Six Handles. Pre-Engineered to Accept Optional DrivePack™ Self-Amplification Module with Integral Signal Processing. Includes Both NL4 and NL8 Connectors. Integral End-Mounted Rigging Tubes. Ships with Hinge bars. Order Available VT4881-ACC Kit to Receive Dolly and Cover. (60 kg/132 lb).	145.00	14.61	US	3479.00
VT4881-ACC	Accessory Kit for VT4881A Midsize Line Array Element is Sold and Shipped as a Separate Item. Includes Items Necessary for Proper Transport and Protection of One VT4881: (1) Protective Cover/Dolly Wheelboard, and (1) Cover. Dolly Has Integral Handles, Plywood, Black. Cover is Rugged Soft Padded Bag with Straps, Black.	35.40	3.05	US	639.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VerTec® MIDSIZE ARRAYABLE SUBWOOFER					
VT4882	Midsize 2x15" Arrayable Subwoofer Loudspeaker for Suspension or Ground-Stacking. Two 2266H 381 mm (15") Differential Drive® Cooled Neodymium Magnet Low Frequency Loudspeakers. Centrally-vented trapezoidal Enclosure, PlyMax™ Engineered Panels, Perforated Steel Grille with Foam Backing, 8 Handles. Integral End-Mounted Rigging Tubes, Fully Compatible with VT4888 Full Range Line Array Elements to Form Articulated Line Arrays. 28 Hz to 120 Hz Frequency Range. 137 dB, 1m. Ships with Suspension Hinge Bars. 457 x 1013 x 858 mm. (18 x 39.9 x 33.8 in.) 52 kg (114.6 lb)	137.00	20.10	US	4029.00
VT4882-ACC	Accessory Kit for VT4882 Midsize Subwoofer. Includes Items Necessary for Transport and Protection of One VT4882: (1) VT4882 -Dolly and (1) VT4882- Cover. Dolly has Integral Handles, Plywood, Black. Sold and Shipped Separately. 165.5 x 1013 x 546 mm	14.90	3.29	US	669.00
VerTec® COMPACT LINE ARRAY ELEMENT, EXTENDED LF RESPONSE					
VT4887A	Bi-Amplified Three-Way High Directivity Compact Line Array Element. Replaces VT4887. Two 2168J-1 8" Differential Drive® loudspeakers with extended low frequency response; four 5.5" 2106H midrange, cone transducers, and two 2408H compact neodymium ring radiators with 1" exit. Now includes both NL4 and NL8 connectors. Ships with hingebars. Order available VT4887-ACC Kit to receive dolly and cover. (29.9 kg / 66 lb)	73.00	21.90	MX	4209.00
VT4887-ACC	Accessory Kit for VT4887A compact line array element is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4887A: (1) protective cover/dolly wheelboard; and (1) cover. Dolly is plywood, black. Cover is rugged soft padded bag with straps, black	35.40	1.56	US	529.00
VT4887-AF	Array Frame for suspending VT4887A or VT4881A enclosures in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 6 units. Aluminum, black. (36 kg / 80 lb)	50.00	21.90	US	2569.00
VT4887-SF	Short Frame for suspending VT4887A or VT4881A enclosures in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 4 units. Aluminum, black. (18 kg / 40 lb)	47.90	2.90	US	1699.00
VT4887A-ASP	Acoustical Spares Kit for VT4887A. Includes (1) 2168J-1 8" speaker, (2) 2104H midrange speaker, and (2) 2408H high frequency drivers. Recommend purchase (1) VT4887A-ASP for each (12) enclosures used in portable or touring conditions	13.35	1.35	US	969.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VT4887-MSP	Mechanical Spares Kit for VT4887A or VT4887. Includes quantity of screws, lanyards, and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) rigging tube set w/screws, (2) rear hingebars, (2) front hingebars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. Recommend purchase (1) VT4887-MSP for each (12) enclosures used in portable or touring conditions.	7.30	0.31	US	949.00
VerTec® MIDSIZE LINE ARRAY ELEMENT					
VT4888	Three-Way High Directivity Midsize Line Array Element. Precision waveguides, Radiation Boundary Integrators, two 2162H 12" Differential Drive® low frequency loudspeakers, four 2106H midrange cone transducers, two 2431H compact neodymium compression drivers with 3" diameter diaphragm, axially-symmetrical enclosure, PlyMax® engineered panels, integrated rigging, perforated steel grilles with foam backing, six handles. Pre-engineered to accept optional DrivePack® self-amplification module with integral signal processing. Combine to form articulated line arrays. Ships with hingebars. Order available –ACC Kit to receive dolly and cover. (52.2 kg / 115 lb)	124.00	21.90	MX	6569.00
VT4888-ACC	Accessory Kit for VT4888 midsize line array element is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4888: (1) protective cover/dolly wheelboard, and (1) cover. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black.	30.70	4.30	US	539.00
VT4888-AF	Array Frame for suspending VT4888 or VT4882 enclosures. Also enables ground-stacking up to 6 units. Aluminum, black. (38 kg / 83 lb)	57.00	21.90	US	2799.00
VT4888-SF	Short Frame for suspending VT4888 or VT4882 enclosures in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 4 units. Aluminum, black. (19 kg / 42 lb)	57.00	21.90	US	1739.00
VT4888-ASP	Acoustical Spares Kit for VT4888. Includes (1) 2262H 12" speaker, (2) 2106H midrange speakers, and (2) diaphragm kits for 2431H compression driver. Recommend purchase (1) VT4888-ASP for each (12) enclosures used in portable or touring conditions.	50.00	4.00	US	1889.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VT4888-MSP	Mechanical Spares Kit for VT4888. Includes quantity of screws, lanyards, and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) rigging tube set w/screws, (2) rear hingebars, (2) front hingebars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. Recommend purchase (1) VT4888-MSP for each (12) enclosures used in portable or touring conditions	185.00	29.20	US	969.00
VerTec® FULLSIZELINE ARRAY SYSTEM ELEMENT, COMPOSITE ENCLOSURE					
VT4889	Three-Way High Directivity Full Size Line Array Element Loudspeaker with advanced composite enclosure materials. High frequency waveguide, Radiation Boundary Integrator™, two 2255H 15" Differential Drive® low frequency loudspeakers with neodymium magnets, four 2250H 8" midrange cone transducers with neodymium magnets, three JBL 2435H compact neodymium compression drivers with 3" diameter beryllium diaphragm, axially-symmetrical enclosure, integrated rigging, perforated steel grilles with foam backing, eight handles. Combine to form articulated line arrays. Suspend with VT4889-AF or VT4889-SF Array Frame. Ships with hingebars and accessories (dolly and cover). (72 kg / 160 lb)	217.00	21.90	MX	#####
VerTec® FULLSIZELINE ARRAY SYSTEM ELEMENT, PLYMAX™ ENCLOSURE					
VT4889-1	Three-Way High Directivity Full Size Line Array Element Loudspeaker with PlyMax® wooden enclosure materials. Identical rigging, component transducers, and acoustical performance to existing VT4889 composite-shell model. Ten handles. Ships with hingebars. (78.9 kg / 174 lb)	217.00	21.90	MX	9479.00
VT4889-1-ACC	Accessory Kit for VT4889-1 is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4889-1: (1) VT4889-DOLLY, (1) VT4889-1 COVER. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black. (20 kg / 42 lb)	42.00	4.00	US	739.00
VT4889-AF	Array Frame for suspending VT4889 or VT4880 enclosures. Also enables ground-stacking. Aluminum, black. (45 kg / 100 lb)	100.00	3.06	US	2999.00
VT4889-SF	Short frame for suspending VT4889 or VT4880 enclosures or for use as bottom anchor on large arrays. Also enables ground-stacking. Aluminum, black. (24 kg / 52 lb)	76.00	8.10	US	2099.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VT4889-ASP	Acoustical Spares Kit for VT4889, VT4889-1. Includes minimum anticipated spare loudspeakers and replacement diaphragms that a system owner may require during field use. Contains (1) 2255H 15" speaker, (2) 2250H 8" speakers, and (3) diaphragm kits for 2435H compression driver. System User Guide included. Recommend purchase (1) VT4889-ASP for each (12) VT4889 enclosures used in portable or touring conditions.	35.00	4.70	US	3349.00
VT4889-MSP	Mechanical Spares Kit for VT4889, VT4889-1. Includes quantity of screws, lanyards and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) rigging frame w/screws, (2) rear hinge bars, (2) front hinge bars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. System User Guide included. Recommend purchase (1) VT4889-MSP for each (12) VT4889 enclosures used in portable or touring conditions.	23.50	0.70	US	1759.00
VerTec® SPECIALIZED ARRAY ADAPTER FRAMES				#N/A	
VT4800-CA	Compact Adapter Frame for combining different VERTEC system models into multi-box arrays. Suspends VT4887 and/or VT4881 from VT4888 or VT4882. Includes hingebar set for VT4887/VT4881. Aluminum, black. (32.5 kg / 72 lb)	50.00	2.69	US	2499.00
VT4800-DA	Downfill Adapter Frame for suspending up to four VT4887 beneath VT4889 or VT4880 arrays. Steel, black. (25 kg / 56 lb)	48.80	5.00	US	1749.00
VT4800-UA	Universal Adapter Frame for combining different VERTEC system models into multi-box arrays. Suspends VT4888/VT4882 and/or VT4887/VT4881 from VT4880 or VT4889 arrays. Includes hingebar sets for VT4888, VT4887/VT4881. Aluminum, black. (43 kg / 95 lb)	95.00	3.70	US	3209.00
VerTec® DP SERIES POWERED LINE ARRAY SYSTEMS AND SUBWOOFERS					
VT4881ADP	1 X 18" Powered Compact Arrayable Subwoofer Equipped with DP1 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Arrayable subwoofer for suspension of ground-stacking. One 2269G 457 mm (18") Differential Drive® Direct Cooled Neodymium Magnet low frequency loudspeaker. Vented enclosure, PlyMax® engineered panels, non-slip rubber stacking feet, integrated rigging, perforated steel grille with foam backing, six handles for suspended or ground stacked applications. Ships with hingebars. Suspend with VT4887-AF and/or VT4887-SF. Order available –ACC kit to receive dolly and cover. (62.6 kg / 138 lb)	175.00	14.61	MX	5169.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VT4881ADP-ACC	Accessory Kit for VT4881ADP Systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4881ADP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, rigid foam blocks, and metal panels to protect JBL DrivePack electronics.	175.00	14.61	US	899.00
VT4881ADP-AN	VT4881ADP with optional analog network module Ethernet connectors for remote control/monitoring. XLR's for audio input. HiQnet™ compatible.	175.00	14.61	US	5949.00
VT4881ADP-CN	VT4881ADP with optional Cobranet™ network module Ethernet for digital audio and remote control/monitoring. XLR's for analog audio backup. HiQnet™ compatible	175.00	14.61	US	6499.00
VT4882DP	Powered 2x15" Midsize Arrayable Subwoofer Equipped with DP3 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Arrayable subwoofer for suspension or ground-stacking. Two 2266H 381 mm (15") Differential Drive® Direct Cooled Neodymium Magnet low frequency loudspeakers. Centrally-vented trapezoidal enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, 8 handles. Integrated rigging. Fully compatible with VT4888 or VT4888DP full range line array elements to form articulated arrays. (73.9 kg / 163 lb)	188.00	22.28	MX	6489.00
VT4882DP-ACC	Accessory Kit for VT4882DP systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4882DP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.	45.00	8.62	US	919.00
VT4882DP-AN	VT4882DP Fitted with Optional Analog Network Module. Ethernet Connectors For Remote Control/Monitoring. XLR's for Audio Input. HiQnet Compatible.	124.60	21.90	US	7269.00
VT4882DP-CN	VT4882DP with Optional Cobranet™ Network Module. Ethernet for Digital Audio and Remote Control/Monitoring. XLR's for Analog Backup. HiQnet Compatible.	124.60	21.90	US	7809.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VT4887ADP	Powered Compact High Directivity Line Array Element Equipped with DP2 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Precision Waveguides. Radiation Boundary Integrators, two 2168H-1 8" Differential Drive® extended low frequency loudspeakers, four 2104H midrange cone transducers, two 2408H neodymium ultra-light ring radiator compression drivers, axially-symmetrical enclosure, JBL PlyMax® engineered panels, integrated rigging, perforated steel grills with foam backing, two handles. Ships with hingebars. Suspend with VT4887-AF and/or VT4887-SF. Combine to form articulated arrays. Order available -ACC Kit to receive dolly and cover. (39.5 kg / 87 lb)	105.00	6.03	MX	6229.00
VT4887ADP-ACC	Accessory Kit for VT4887ADP Systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4887ADP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.	175.00	14.61	US	739.00
VT4887ADP-AN	VT4887ADP with optional analog network module Ethernet connectors for remote control/monitoring, XLR's for audio input. HiQnet™ compatible.	105.00	6.03	US	7019.00
VT4887ADP-CN	VT4887ADP with optional Cobranet™ network module Ethernet for digital audio and remote control/monitoring. XLR's for analog audio backup. HiQnet™ compatible.	105.00	6.03	US	7569.00
VT4888DP	Powered 3-Way High Directivity Midsize Line Array Element Equipped with DP3 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Precision Waveguides. Radiation Boundary Integrators, two 2262HPL 12" Differential Drive® low frequency loudspeakers, four 2106H midrange cone transducers, two 2431H compact neodymium compression drivers with 3" diameter diaphragm, axially-symmetrical enclosure, JBL PlyMax® engineered panels, integrated rigging, perforated steel grills with foam backing, six handles. Combine to form articulated arrays. (68 kg / 150 lb)	124.60	21.90	MX	9019.00
VT4888DP-ACC	Accessory Kit for VT4888DP systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4888DP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.	39.38	5.50	US	869.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VT4888DP-AN	VT4888DP with optional analog network module. Ethernet connectors for remote control/monitoring, XLR's for audio input. HiQnet™ compatible.	124.60	21.90	MX	9809.00
VT4888DP-CN	VT4888DP with optional Cobranet™ network module Ethernet for digital audio and remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	124.60	21.90	MX	#####
VerTec® NEW FULL SIZE POWERED MODELS					
VT4889ADP	Fullsize Powered 3-Way High Directivity Line Array Element Loudspeaker. Equipped with DP-3 JBL DrivePack® Unit, dbx Digital Signal Processing, Crown Amplification. Precision Waveguides. Radiation Boundary Integrators, Two 2265H 15" Differential Drive® Low Frequency Loudspeakers, Four 2169H Midrange Cone Transducers, Three 2435HPL Compact Neodymium Compression Drivers with 3" Diameter Diaphragm. Axially-Symmetrical Enclosure, JBL PlyMax® Engineered Enclosure Panels, Patented Integrated Suspension Hardware, Perforated Steel Grilles with Foam Backing, Eight Handles. Combine to Form Articulated Arrays. (92 kg/203 lb)	1.00		US	#####
VT4889ADP-AN	VT4889ADP with optional analog network module. Ethernet connectors for remote control/monitoring, XLR's for audio input. HiQnet™ compatible.			US	#####
VT4889ADP-CN	VT4889ADP with optional Cobranet network module. Ethernet for digital audio and remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	217.00		US	#####
VT4889ADP-ACC	Accessory Kit for VT4889ADP models. Includes items necessary for safe, reliable transport in portable-use conditions. Contains (1) VT4889-DOLLY protective wheelboard and (1) VT4889ADP-COVER with rigid foam blocks and protective metal plates for JBL DrivePack.	217.00	21.90	US	969.00
VT4880ADP	Fullsize Powered 2x18" Arrayable Subwoofer. Equipped with DP-3 JBL DrivePack® Unit, dbx Digital Signal Processing, Crown Amplification. Two 2269G 18" Differential Drive® Ultra Long Excursion Low Frequency Loudspeakers. Centrally Vented Enclosure, JBL PlyMax® Engineered Enclosure Panels, Patented Integrated Suspension Hardware, Perforated Steel Grilles with Foam Backing, Ten Handles. Suspended Arrays or Ground-Stack Applications. (99.8 kg/220 lb)	231.23	28.52	US	8999.00
VT4880ADP-AN	VT4880ADP with optional analog network module. Ethernet connectors for remote control/monitoring, XLR's for audio input. HiQnet™ compatible. (99.4 kg/219 lb)	231.23	28.52	US	9749.00
VT4880ADP-CN	VT4880ADP with optional Cobranet network module. Ethernet for digital audio and remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	215.00	30.31	US	#####

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
VT4880ADP-ACC	Accessory Kit for VT4880ADP models. Includes items necessary for safe, reliable transport in portable-use conditions. Contains (1) VT4880-DOLLY protective wheelboard and (1) VT4880ADP-COVER with rigid foam blocks and protective metal plates for JBL DrivePack	37.00	4.01		989.00
PRECISION DIRECTIVITY™ SEF	**Delivery - WRC and WRX are Build-To-Order Products, not Stocked. Lead Time (From when the Order is Cleared by JBL Credit Dept to Shipment from JBL Factory) is typically 4 to 8				
VLA SERIES	Custom Extra-Cost Options: Longer Input Cable, Special Cable Types. AE-Style Connector Input Plate (Barrier Strip Terminals) with Sealed Cover Plate (Selectable Network Mode). Custom Colors (Dark Colors to be Avoided if Installed				
VLA301	Three-Way Full-Range Horn-Loaded Line Array loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF.			US	8999.00
VLA301-WRC	With Weather Protection Treatment.			US	9749.00
VLA301-WRX	With Extreme Weather Protection Treatment			US	#####
VLA601	Three-Way Full-Range Horn-Loaded Line Array loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF.			US	989.00
VLA601-WRC	With Weather Protection Treatment.			US	8129.00
VLA601-WRX	With Extreme Weather Protection Treatment			US	9729.00
VLA901	Three-Way Full-Range Horn-Loaded Line Array loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF.	265.00	24.10	US	7439.00
VLA901-WRC	With Weather Protection Treatment.			US	7939.00
VLA901-WRX	With Extreme Weather Protection Treatment			US	9399.00
VLA301H	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF			US	#####
VLA301H-WRC	With Weather Protection Treatment.			US	#####
VLA301H-WRX	With Extreme Weather Protection Treatment			US	#####
VLA601H	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF			US	#####
VLA601H-WRC	With Weather Protection Treatment.			US	#####
VLA601H-WRX	With Extreme Weather Protection Treatment			US	#####
VLA901H	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	299.00	24.10	US	#####
VLA901H-WRC	With Weather Protection Treatment.			US	#####
VLA901H-WRX	With Extreme Weather Protection Treatment			US	#####
PD5000				US	

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
PD5200/95	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	141.70	24.03	US	3579.00
PD5200/95-WRC	With Weather Protection Treatment.	145.00	24.56	US	4629.00
PD5200/95-WRX	With Extreme Weather Protection Treatment	143.00	24.04	US	5239.00
PD5200/64	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	140.95	24.50	US	3579.00
PD5200/64-WRC	With Weather Protection Treatment.	144.00	24.60	US	4629.00
PD5200/64-WRX	With Extreme Weather Protection Treatment			US	5239.00
PD5200/43	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	164.00	29.40	US	4039.00
PD5200/43-WRC	With Weather Protection Treatment.			US	5159.00
PD5200/43-WRX	With Extreme Weather Protection Treatment			US	5449.00
PD5212/95	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	166.80	24.27	US	3919.00
PD5212/95-WRC	With Weather Protection Treatment.	166.80	24.27	US	4949.00
PD5212/95-WRX	With Extreme Weather Protection Treatment			US	5239.00
PD5212/64	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	210.00	24.38	US	3919.00
PD5212/64-WRC	With Weather Protection Treatment.	169.00	24.86	US	4949.00
PD5212/64-WRX	With Extreme Weather Protection Treatment	186.00	24.56	US	5239.00
PD5212/43	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs).	190.00	24.80	US	4389.00
PD5212/43-WRC	With Weather Protection Treatment.			US	5519.00
PD5212/43-WRX	With Extreme Weather Protection Treatment			US	5789.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
PD5322/95	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	186.00	24.56	US	4589.00
PD5322/95-WRC	With Weather Protection Treatment.	186.00	25.51	US	5629.00
PD5322/95-WRX	With Extreme Weather Protection Treatment			US	5909.00
PD5322/64	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	186.00	24.56	US	4589.00
PD5322/64-WRC	With Weather Protection Treatment.	186.00	24.56	US	5629.00
PD5322/64-WRX	With Extreme Weather Protection Treatment	198.00	24.80	US	5909.00
PD5322/43	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs).	186.00	24.56	US	5139.00
PD5322/43-WRC	Same as above but in White.			US	6049.00
PD5322/43-WRX	With Weather Protection Treatment.			US	6319.00
PD5122	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb).	126.00	18.90	US	2129.00
PD5122-WRC	With Weather Protection Treatment.	107.00	9.48	US	2979.00
PD5122-WRX	With Extreme Weather Protection Treatment			US	3269.00
PD5125	High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled 2226H Low Frequency Drivers in a Front Loaded, Vented Configuration. 37 Hz to 2.5 Khz Frequency Range. 991 x 476 x 691 mm (39 x 18.75 x 27.2 in.), 53.4 kg (118 lb).	126.00	18.90	US	2219.00
PD5125-WRC	With Weather Protection Treatment.	125.00	23.88	US	3069.00
PD5125-WRX	With Extreme Weather Protection Treatment			US	3349.00
PD 700					

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
PD743	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	297.00	45.93	US	7599.00
PD743-WRC	With Weather Protection Treatment.	297.00	45.93	US	8559.00
PD743-WRX	With Extreme Weather Protection Treatment	297.00	45.93	US	8889.00
PD764	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	280.00	44.91	US	7199.00
PD764-WRC	With Weather Protection Treatment.			US	8199.00
PD764-WRX	With Extreme Weather Protection Treatment	280.00	44.91	US	8519.00
AE APPLICATION ENGINEERED SERIES (JBL052)					
[AM] Performance-Maximized 3-Ways					
AM6340/95	High Power 3-Way Loudspeaker with 4 x 10" LF Drivers. 90° x 50° Coverage, Multiple LF Drivers Extend Pattern Control Into The LF Band, Bi-Amp/Tri-Amp Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array With ASB6128 (Or ASB4128) Subwoofer Center.	145.00	20.30	MX	4659.00
AM6340/95-WH	Same as above, but in White.	145.00	20.30	US	4659.00
AM6340/95-WRC	With Weather Protection Treatment.				5669.00
AM6340/95-WRX	With Extreme Weather Protection Treatment			US	5959.00
AM6340/64	High Power 3-Way Loudspeaker with 4 x 10" LF Drivers. 60° x 40° Coverage, Multiple LF Drivers Extend Pattern Control Into The LF Band, Bi-Amp/Tri-Amp Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array With ASB6128 (Or ASB4128) Subwoofer Center.	153.00	20.16	MX	4659.00
AM6340/64-WH	Same as above, but in White.	153.00	20.16	US	4659.00
AM6340/64-WRC	With Weather Protection Treatment.				5669.00
AM6340/64-WRX	With Extreme Weather Protection Treatment				5959.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
AM6315/95	High Power 3-Way Loudspeaker with 1 x 15" LF Driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array With ASB6128V Subwoofer In Center.	128.00	17.73	MX	4089.00
AM6315/95-WH	Same as above, but in White.	128.00	17.73	US	4089.00
AM6315/95-WRC	With Weather Protection Treatment.				5069.00
AM6315/95-WRX	With Extreme Weather Protection Treatment			US	5359.00
AM6315/64	High Power 3-Way Loudspeaker with 1 x 15" LF Driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array With ASB6128V Subwoofer In Center.	128.55	17.75	MX	2028.08
AM6315/64-WH	Same as above, but in White.	128.55	17.75	US	4089.00
AM6315/64-WRC	With Weather Protection Treatment.				5069.00
AM6315/64-WRX	With Extreme Weather Protection Treatment			US	5359.00
AM4315/95	Medium Power 3-Way Loudspeaker with 1 x 15" LF Driver. 90° x 50° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array with ASB6128V Subwoofer in Center.	140.00	17.90	MX	2709.00
AM4315/95-WH	Same as above, but in White.	140.00	17.90	MX	2709.00
AM4315/95-WRC	With Weather Protection Treatment.			US	3629.00
AM4315/95-WRX	With Extreme Weather Protection Treatment			US	3919.00
AM4315/64	Medium Power 3-Way Loudspeaker with 1 x 15" LF Driver. 60° x 40° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array with ASB6128V Subwoofer in Center.	140.00	17.90	MX	2709.00
AM4315/64-WH	Same as above, but in White.	140.00	17.90	US	2709.00
AM4315/64-WRC	With Weather Protection Treatment.			US	3629.00
AM4315/64-WRX	With Extreme Weather Protection Treatment			US	3919.00
AM6200/95	High Power Mid-High Frequency Loudspeaker. 90° x 50° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kits PAF-2K for 3-Wide Array With ASB6118 Subwoofer In Center or PAF-3K for AL6115 LF In Center.	76.65	10.20	MX	3269.00
AM6200/95-WH	Same as above, but in White.	145.00	20.30	US	3269.00
AM6200/95-WRC	With Weather Protection Treatment.			US	4109.00
AM6200/95-WRX	With Extreme Weather Protection Treatment			US	4399.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
AM6200/64	High Power Mid-High Frequency Loudspeaker. 60° x 40° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kits PAF-2K for 3-Wide Array With ASB6118 Subwoofer In Center or PAF-3K for AL6115 LF In Center.	80.00	10.43	MX	3269.00
AM6200/64-WH	Same as above, but in White.	80.00	10.43	US	3269.00
AM6200/64-WRC	With Weather Protection Treatment.			US	4109.00
AM6200/64-WRX	With Extreme Weather Protection Treatment			US	4399.00
AM4200/95	Medium Power Mid-High Frequency Loudspeaker. 90° x 50° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kits PAF-2K for 3-Wide Array With ASB6118 Subwoofer In Center or PAF-3K for AL6115 LF In Center.	73.00	7.06	US	2029.00
AM4200/95-WH	Same as above, but in White.	73.00	7.06	US	2029.00
AM4200/95-WRC	With Weather Protection Treatment.			US	2799.00
AM4200/95-WRX	With Extreme Weather Protection Treatment			US	3099.00
AM4200/64	High Power Mid-High Frequency Loudspeaker. 60° x 40° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts Not Included. Optional Planar Array Frame Kits PAF-2K for 3-Wide Array With ASB6118 Subwoofer In Center or PAF-3K for AL6115 LF In Center.	73.00	7.06	US	2029.00
AM4200/64-WH	Same as above, but in White.	73.00	7.06	US	2029.00
AM4200/64-WRC	With Weather Protection Treatment.			US	2799.00
AM4200/64-WRX	With Extreme Weather Protection Treatment			US	3099.00
[AM] Performance-Maximized 2-Ways					
AM6215/95	High Power 2 -Way Loudspeaker with 1 x 15" LF . 90° x 50° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-1.	83.80	9.50	MX	2289.00
AM6215/95-WH	Same as above, but in White.	83.80	9.50	MX	2289.00
AM6215/95-WRC	With Weather Protection Treatment.			US	3009.00
AM6215/95-WRX	With Extreme Weather Protection Treatment			US	3309.00
AM6215/64	High Power 2 -Way Loudspeaker with 1 x 15" LF . 60° x 40° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-1.	84.70	9.10	MX	2289.00
AM6215/64-WH	Same as above, but in White.	84.70	9.10	US	2289.00
AM6215/64-WRC	With Weather Protection Treatment.				3009.00
AM6215/64-WRX	With Extreme Weather Protection Treatment			US	3309.00
AM6212/95	High Power 2 -Way Loudspeaker with 1 x 12" LF . 90° x 50° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	73.00	6.81	MX	2179.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
AM6212/95-WH	Same as above, but in White.	73.00	6.81	MX	2179.00
AM6212/95-WRC	With Weather Protection Treatment.			US	2909.00
AM6212/95-WRX	With Extreme Weather Protection Treatment			US	3199.00
AM6212/64	High Power 2 -Way Loudspeaker with 1 x 12" LF . 60° x 40° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	74.00	7.00	MX	2179.00
AM6212/64-WH	Same as above, but in White.	74.00	7.00	MX	2179.00
AM6212/64-WRC	With Weather Protection Treatment.				2909.00
AM6212/64-WRX	With Extreme Weather Protection Treatment			US	3199.00
AM6212/00	High Power 2 -Way Loudspeaker with 1 x 12" LF . 100° x 100° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	70.00	6.70	MX	2179.00
AM6212/00-WH	Same as above, but in White.	70.00	6.70	US	2179.00
AM6212/00-WRC	With Weather Protection Treatment.			US	2909.00
AM6212/00-WRX	With Extreme Weather Protection Treatment			US	3199.00
AM4215/95	Medium Power 2 -Way Loudspeaker with 1 x 15" LF . 90° x 50° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-1.	81.50	9.06	MX	1529.00
AM4215/95-WH	Same as above, but in White.	81.50	9.06	MX	1529.00
AM4215/95-WRC	With Weather Protection Treatment.			US	2239.00
AM4215/95-WRX	With Extreme Weather Protection Treatment			US	2529.00
AM4215/64	Medium Power 2 -Way Loudspeaker with 1 x 15" LF . 60° x 40° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-1.	80.35	8.95	MX	1529.00
AM4215/64-WH	Same as above, but in White.	80.35	8.95	MX	1529.00
AM4215/64-WRC	With Weather Protection Treatment.			US	2239.00
AM4215/64-WRX	With Extreme Weather Protection Treatment			US	2529.00
AM4212/95	Medium Power 2 -Way Loudspeaker with 1 x 12" LF . 90° x 50° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	72.00	6.71	MX	1449.00
AM4212/95-WH	Same as above, but in White.	72.00	6.71	MX	1449.00
AM4212/95-WRC	With Weather Protection Treatment.			US	2159.00
AM4212/95-WRX	With Extreme Weather Protection Treatment			US	2459.00
AM4212/64	Medium Power 2 -Way Loudspeaker with 1 x 12" LF . 60° x 40° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	69.70	6.92	MX	1449.00
AM4212/64-WH	Same as above, but in White.	69.70	6.92	MX	1449.00
AM4212/64-WRC	With Weather Protection Treatment.			US	2159.00
AM4212/64-WRX	With Extreme Weather Protection Treatment			US	2459.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
AM4212/00	Medium Power 2 -Way Loudspeaker with 1 x 12" LF . 100° x 100° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	67.70	6.79	MX	1449.00
AM4212/00-WH	Same as above, but in White.	67.70	6.79	MX	1449.00
AM4212/00-WRC	With Weather Protection Treatment.			US	2159.00
AM4212/00-WRX	With Extreme Weather Protection Treatment			US	2459.00
[AC] Compact 2-Way Speakers					
AC2215/95	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	62.00	7.50	MX	969.00
AC2215/95-WH	Same as above, but in White.	62.00	7.50	MX	969.00
AC2215/95-WRC	With Weather Protection Treatment.			US	1694.00
AC2215/95-WRX	With Extreme Weather Protection Treatment			US	1989.00
AC2215/64	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	51.00	4.40	MX	969.00
AC2215/64-WH	Same as above, but in White.	51.00	4.40	MX	969.00
AC2215/64-WRC	With Weather Protection Treatment.				1694.00
AC2215/64-WRX	With Extreme Weather Protection Treatment			US	1989.00
AC2215/00	Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	71.35	7.41	MX	999.00
AC2215/00-WH	Same as above, but in White.	71.35	7.41	US	999.00
AC2215/00-WRC	With Weather Protection Treatment.			US	1739.00
AC2215/00-WRX	With Extreme Weather Protection Treatment				2024.00
AC2212/95	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.	62.00	7.50	MX	884.00
AC2212/95-WH	Same as above, but in White.	62.00	7.50	MX	884.00
AC2212/95-WRC	With Weather Protection Treatment.			US	1599.00
AC2212/95-WRX	With Extreme Weather Protection Treatment			US	1909.00
AC2212/64	Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.	51.00	4.40	MX	884.00
AC2212/64-WH	Same as above, but in White.	51.00	4.40	MX	884.00
AC2212/64-WRC	With Weather Protection Treatment.			US	1599.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
AC2212/64-WRX	With Extreme Weather Protection Treatment			US	1909.00
AC2212/00	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.	54.30	4.28	MX	929.00
AC2212/00-WH	Same as above, but in White.	54.30	4.28	MX	929.00
AC2212/00-WRC	With Weather Protection Treatment.			US	1959.00
AC2212/00-WRX	With Extreme Weather Protection Treatment			US	2259.00
[AL] Low Frequency Speakers					
AL6115	High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2226H VGC™ Driver. Suspension Eyebolts Not Included. Arrays With AM6200 and AM4200 Mid-High Loudspeakers (Using PAF-3K Planar Array Frame Kit) or With AC2212.	81.80	10.55	MX	1259.00
AL6115-WH	Same as above, but in White.	81.80	10.55	MX	1259.00
AL6115-WRC	With Weather Protection Treatment.	82.00	10.83	US	1959.00
AL6115-WRX	With Extreme Weather Protection Treatment			US	2259.00
AL6125	High Power 2 x 15" Low Frequency Loudspeaker. 2 x 15" 2226H VGC™ Driver. Suspension Eyebolts Not Included. Arrays With AM6200 and AM4200 Mid-High Loudspeakers (Using PAF-3K Planar Array Frame Kit) or With AC2212.	111.50	11.30	MX	1939.00
AL6125-WH	Same as above, but in White.	111.50	11.30	MX	1939.00
AL6125-WRC	With Weather Protection Treatment.				2759.00
AL6125-WRX	With Extreme Weather Protection Treatment			US	3049.00
[ASB] SuBwoofers and [ASH] Subwoofer Horn-Loaded					
ASB6112 *NEW*	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White	112.00	12.60	MX	1239.00
ASB6112-WH *NEW*	Same as above, but in White.	112.00	12.60	MX	1239.00
ASB6115 *NEW*	Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White.	112.00	12.60	MX	1399.00
ASB6115-WH *NEW*	Same as above, but in White.	112.00	12.60	MX	1399.00
ASB6125 *NEW*	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White.	180.00	25.08	MX	2199.00
ASB6125-WH *NEW*	Same as above, but in White.	180.00	25.08	MX	2199.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
ASB7118 *NEW*	Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White.	112.00	12.60	MX	2699.00
ASB7118-WH *NEW*	Same as above, but in White.	112.00	12.60	MX	2699.00
ASB7128 *NEW*	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White.	180.00	25.08	MX	4739.00
ASB7128-WH *NEW*	Same as above, but in White.	180.00	25.08	MX	4739.00
ASB6118	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit.	112.00	13.00	MX	1649.00
ASB6118-WH	Same as above, but in White.	112.00	13.00	MX	1649.00
ASB6118-WRC	With Weather Protection Treatment.			US	2349.00
ASB6118-WRX	With Extreme Weather Protection Treatment			US	2649.00
ASB6128	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit.	179.50	24.52	MX	2839.00
ASB6128-WH	Same as above, but in White.	179.50	24.52	US	2839.00
ASB6128-WRC	With Weather Protection Treatment.	180.00	25.08	US	3999.00
ASB6128-WRX	With Extreme Weather Protection Treatment			US	4299.00
ASB6128V	Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H NDD™ Neodymium Dual Drive Transducers in V-Loaded Configuration, Deep Cabinet, Driver Magnets Outward For Maximum Cooling, , Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6315 and AM4315 Loudspeakers Using PAF-2K Planar Array Frame Kit.	190.00	30.90	MX	3109.00
ASB6128V-WH	Same as above, but in White.	190.00	30.90	US	3109.00
ASB4128	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Suspension Eyebolts Not Included.	163.40	24.30	MX	2169.00
ASB4128-WH	Same as above, but in White.	163.40	24.30	MX	2169.00
ASB4128-WRC	With Weather Protection Treatment.				2979.00
ASB4128-WRX	With Extreme Weather Protection Treatment			US	3279.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
ASH6118	Horn Loaded Subwoofer , Maximum Low Frequency Output & Sensitivity. 1 x 18" 2242H SVG™ Driver. Designed to be Used In Multiples (2 Minimum, 4 Optimum) with Proximity Placement Or With Proper Boundary Surface Loading. Not Suspendable. Special Order, Typical 4 Week Lead Time.	351.00	38.56	US	2969.00
ASH6118-WH	Same as above, but in White.	351.00	38.56	US	2969.00
AE Series Bracketry & Rigging Accessories					
MTU-1	U-Bracket For Models AM6215 (/95 or /64) and AM4215 (/95 or /64).	8.40	1.50	US	169.00
MTU-1-WH	Same as above, but in White.	8.40	1.50	US	169.00
MTU-2	U-Bracket For Model AC2215 (/95, /64 or /00).	7.80	1.20	US	149.00
MTU-2-WH	Same as above, but in White.	7.80	1.20	US	149.00
MTU-3	U-Bracket For Models AM6212 (/95, /64 or /00) and AM4212 (/95, /64, or/00).	8.20	1.20	US	159.00
MTU-3-WH	Same as above, but in White.	8.20	1.20	US	159.00
MTU-4	U-Bracket For Model AC2212 (/95, /64, or /00).	6.50	0.90	US	139.00
MTU-4-WH	Same as above, but in White.	6.50	0.90	US	139.00
PAF-1K	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x AC2212/64 With ASB6118 In Center.	35.50	0.41	US	1299.00
PAF-1K-WH	Same as above, but in White.	35.50	0.41	US	1299.00
PAF-2K	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array With LF or ASB in Center Position. For Models: AM6340, AM6315, AM4315, AM6200, AM4200, ASB6118, ASB6128, ASB4128, ASB6128V. Not all Speakers Can be Used Together. See AE Bracket Guide for Exact Model Configurations.	46.70	0.99	US	1699.00
PAF-2K-WH	Same as above, but in White.	46.70	0.99	US	1699.00
PAF-3K	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x AM6200/64 or 2 x AM4200/64 with AL6115 in Center.	46.70	1.14	US	1799.00
PAF-3K-WH	Same as above, but in White.	46.70	1.14	US	1799.00
229-00009-01	Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts.			US	36.00
AE APPLICATION ENGINEERED SERIES					
NEW PRODUCTS					
AE Compact 2-Way Speakers					
AC15	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15.	11.50	1.25	MX	349.00
AC15-WH	Same as above, but in White.	11.50	1.25	MX	349.00
AC25	Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25.	17.32	1.02	MX	649.00

JBL Confidential Full Line Price List

Model	Description	Weight (lbs.)	Size (ft3)	Country of Origin	US List
AC25-WH	Same as above, but in White.	17.32	1.02	MX	649.00
AC16	Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-	20.00	1.53	MX	699.00
AC16-WH	Same as above, but in White.	20.00	1.53	MX	699.00
AC16-WRC	With Weather Protection Treatment.				1309.00
AC16-WRX	With Extreme Weather Protection Treatment			US	1409.00
AC26	Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-	30.00	1.99	MX	999.00
AC26-WH	Same as above, but in White.	30.00	1.99	MX	999.00
AC26-WRC	With Weather Protection Treatment.				1609.00
AC26-WRX	With Extreme Weather Protection Treatment			US	1709.00
AC18/95	Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included.	30.00	2.30	MX	859.00
AC18/95-WH	Same as above, but in White.	30.00	2.30	MX	859.00
AC18/95-WRC	With Weather Protection Treatment.				1499.00
AC18/95-WRX	With Extreme Weather Protection Treatment			US	1699.00
AC18/26	Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included.	30.00	2.30	MX	859.00
AC18/26-WH	Same as above, but in White.	30.00	2.30	MX	859.00
AC18/26-WRC	With Weather Protection Treatment.			US	1499.00
AC18/26-WRX	With Extreme Weather Protection Treatment				1699.00
AC28/95	Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included.	50.00	3.05	MX	1159.00
AC28/95-WH	Same as above, but in White.	50.00	3.05	MX	1159.00
AC28/95-WRC	With Weather Protection Treatment.				1799.00
AC28/95-WRX	With Extreme Weather Protection Treatment				1999.00
AC28/26	Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included.	22.00	3.05	MX	1159.00
AC28/26-WH	Same as above, but in White.	22.00	3.05	MX	1159.00
AC28/26-WRC	With Weather Protection Treatment.				1799.00
AC28/26-WRX	With Extreme Weather Protection Treatment			US	1999.00
AE Compact Series Bracketry & Rigging Accessories					
MTU-15	U-Bracket For Model AC15	2.50	3.05	US	59.00
MTU-25	U-Bracket For Model AC25	4.50	1.20	US	74.00
MTU-16	U-Bracket For Model AC16	4.00	1.20	US	79.00
MTU-26	U-Bracket For Model AC26	3.50	1.00	US	89.00
MTU-18	U-Bracket For Models AC18/95 & AC18/26	3.00	0.29	US	94.00
MTU-28	U-Bracket For Models AC28/95 & AC28/26	5.20	0.82	US	119.00